# **SYDNEY PINE**

456-023

# **MAYER** FABRICS



## **CLEANING**

WS: Water/Solvent Cleaner - Spot clean with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding. Always rinse promptly with clean water.

BC: Bleach Cleanable - 1 parts bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean / disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

Additional cleaning details at www.mayerfabrics.com

#### **CATEGORY**

Upholstery

### **PROPERTIES**



#### CONTENT

52% Recycled Polyester (34% Pre-/18% Post-Consumer)/48% Polyester

#### **BACKING**

Acrylic

# ADDITIONAL FINISHING AVAILABLE (CHECK FOR PRICING)

Nano-Tex, NanoGuard

#### FINISH

Nano-Stain Repellent - PFOA & PFOS Free

#### **WIDTH**

54"

#### **WEIGHT**

13.44 oz./linear yard

#### **SHOWN RAILROADED**

No

## **DIRECTIONAL**

No

#### **ROLL LENGTH**

~55 yards

#### **VISUAL REPEAT**

0.938" H, 0.842" V

# **BREAKING STRENGTH**

Warp 213/Fill 77

#### **SEAM STRENGTH**

Warp: 31/Fill: 46

# **ABRASION RESISTANCE**

Passes 63,000 Double Rubs (Wyzenbeek)

# PILLING RESISTANCE

Class 5

#### **COLORFASTNESS TO CROCKING**

Dry: Class 4 min/Wet: Class 3 min

# **COLORFASTNESS TO LIGHT**

40 hours

# **SYDNEY PINE** 456-023



#### **APPLICATION**

Indoor

# FLAMMABILITY

Passes Cal 117-2013; NFPA 260/UFAC Class 1; May comply with Cal. Tech. Bul. 133 when combined with appropriate components.

#### WARRANTY

Standard Upholstery | '5' Five Year Warranty



Certified

