LEGION

FURNITURE

Price List Quarter 1

(January - March 2024)

Revised - March 11, 2024



Table of Contents

LEGION®

General Information	Stacking Panels	18
Color Options4	Preconfigured Intersections	23
Paint Swatches7	Preconfigured Stackable Intersections	43
Molded Edge Colors 8	End-of-Run	46
Laminate Swatches9	Stacking End-of-Run	47
Preconfigured Monolithic Fabric Panels11	Rolling Doors	48
Preconfigured Monolithic Fabric Panels (Beltway Power)11	Electrical	54
Preconfigured Monolithic Fabric Panels (Beltway Power - One Side) 11	Worksurfaces	68
Preconfigured Monolithic Open Panels	Worksurface Supports	81
Preconfigured Segmented Fabric Panels	Support Legs	85
Preconfigured Segmented Fabric Panels w/Beltway Power14	Universal Storage and Accessories	90
Preconfigured Segmented Fabric Panels w/Markerboard on One Side 14	Venus® Storage and Accessories	96
Preconfigured Segmented Fabric Panels w/Markerboard on Both Sides 14	Vini® Overheads	102
Preconfigured Segmented Open Panels w/Fabric Top Tiles 16	Vini® Underhead Storage	103
Preconfigured Segmented Fabric Panels w/Glass Top	Accessories	104



Overview

Legion is the unifying element that brings together architecture and furniture to create highly effective work environments that are both engaging and productive. As a comprehensive Systems offering, Legion features preconfigured panels, worksurfaces and storage elements, which together allow for dynamic solutions to current and future needs. Yet, Legion also brings a degree of simplicity to Systems furniture that other systems lack. Uncomplicated, but by no means boring, Legion simplifies the entire Systems furniture process—from planning and specifying, to ordering and installing—so more time is spent appreciating the end result and less time is spent worrying about the details.

Panels

Preconfigured monolithic and segmented Legion panels are available. Panels may be specified without top caps to allow for attachment of spanning top caps or divider screens. All Legion panels meet the flame spread and smoke generation criteria defined in the UL 1286 safety standard for office furnishings.

Preconfigured panels are 3.5" thick and are available in the following dimensions:

•Widths: 24", 30", 36", 42", 48", 54", 60",72" (split tile on 72")

•Heights: 32", 40", 48", 56", 64"

Three base styles allow for functional and aesthetic planning flexibility:

Standard base

Elevated base

•Tile-to-floor base

Insert tiles are interchangeable among standard, elevated, and the standard base side of tile-to-floor panels. The tile height of the tile-to-floor tile is unique and not interchangeable. All tiles are hand-placed, requiring no tools for attachment to Legion frames. Standard and elevated base styles support future reconfiguration that substitutes either base style for the other.

Standard bases allow for distribution of power and data at the base of the panel. Elevated bases improve air circulation and lighten overall scale of the panel. Tile-to-floor panels feature a base raceway on the user side and no base raceway on the opposite side. Above worksurface beltline power is available regardless of preferred base style.

Preconfigured monolithic panels feature fabric inserts. Fabric wraps around the board on all sides to minimize end fraying.

Preconfigured segmented panels are available in a variety of substrate and finish options. Segmented panels universally feature a 32" segmentation height, with specified upper and lower, and front and back tiles.

Preconfigured substrates vary by configuration and may include:

- •Fabric—upper and lower
- •Single pane glass—upper
- •Steel laminated markerboard—upper
- Open tile—lower

Preconfigured stacking sections add 16" to any Legion panel, and are retrofittable to existing installations. All parts and hardware are included.

Preconfigured models are available with inserts of the following tiles:

- Fabric
- Powdercoated solid steel
- Powdercoated perforated steel
- Single pane glass
- Steel laminated markerboard

Connectors and Trim

All Legion panels include necessary panel connector blocks and light blocks. Connectors are universal and allow panel-to-panel connections of same or varied heights, as well as all panel-to-post and top cap connections. Legion panels also include trim wherever possible. Trim included with panels consists of top cap, bottom trim channel or tile-to floor trim, base raceway cover and foot shroud. Side/end trim and spanning top caps, along with their respective hardware, are specified separately. All Legion trim is powdercoated metal.

Electrical

Legion's 622 and 442 electrical planning is simple and easy to specify. All Legion panels of 30" and greater widths feature two knockouts per side which accept duplex receptacles (24" panels feature a single knockout) for base or beltway power distribution. Elevated bases may be specified with power distribution at beltway height only. Tile-to-floor tiles do not feature cutouts, but may run pass-through cabling. Specifiable grommet locations ensure convenient access to power sources. All electrical components are specified separately and field installed.

Worksurfaces

Legion offers a variety of worksurface shapes designed to complement flexible workstation planning. All are available in a wide range of sizes. Edges and grommet locations may be specified. General worksurface styles include:

- Rectangle
- Corner
- Extended corner
- Extended corner reduction
- Conference end
- Tapered
- Peninsula
- •Credenza and underhead tops
- •120 degree

Worksurface Support

Legion showcases a dynamic approach to planning through the use of multiple support options in a given workstation. All supports feature powdercoated steel. Powdercoated perforated steel inserts add design flair and added privacy. Worksurface supporting legs are offered in two styles:

- •Panel Supporting includes both open and insert styles. The frame ties the worksurface to an adjacent panel in place of a traditional return panel.
- •Non-Panel Supporting legs are not tied to a panel, but offer a consistent aesthetic with the panel supporting frames.

Post legs may be used in place of frames for less foot restriction, or may be used in conjunction with panels or frames to support peninsula worksurfaces.

Cantilever brackets are also offered for more traditional planning. Standard and upscale versions are both offered.

Special Services

Shipping:

Add 5% of Net for shipping.

Installation:

Add 8% of Net for Installation.

Specifications and prices subject to change without prior notice.





LEGION®

Legion® Visible Trim*, **Preconfigured Intersections, Visible Worksurface Supports**

Trim Color

60.01
BlackBL
Blue Grey
Bronze Metallic ZM
Cayenne
Champagne MetallicCM
Cool Grey
CottonwoodCO
Earthen ClayEY
Espresso Metallic
Everglade ShadeEV
Flannel
Hazy Jade
Light Tone
Mardi GrasMG
Misty BrownMY
Nemo
NordicND
Purple Haze
Rubber DuckyRK
Sand
Starlight Silver
Surf's UpSP
Twilight ShadowTI
Ultra BlueUB
Warm Grey
Zesty Lime
*All trim is metal. Trim includes: top cap, bottor

^{*}All trim is metal. Trim includes: top cap, bottom trim, channel/tile-to-floor trim, base raceway and foot shroud.

<u>Legion® Steel Segments/Steel</u>

Inserts Paint Color

ann Color
BlackBL
Blue Grey
Bronze Metallic ZM
Cayenne
Champagne MetallicCM
Cool Grey
CottonwoodCO
Earthen ClayEY
Espresso MetallicEX
Everglade ShadeEV
Flannel
Hazy JadeHJ
Light Tone LG
Mardi GrasMG

Misty Brown	MΥ
Nemo	NE
Nordic	ND
Purple Haze	PH
Rubber Ducky	RK
Sand	SA
Starlight Silver	SX
Surf's Up	SP
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

erforated Color
BlackIBL
Blue Grey
Bronze Metallic
Cayenne
Champagne MetallicICM
Cool Grey
CottonwoodICO
Earthen ClayEY
Espresso Metallic
Everglade ShadeEV
Flannel
Hazy Jade
Light Tone
Mardi GrasIMG
Misty BrownIMY
Nemo
NordicIND
Purple Haze
Rubber DuckyIRK
Sand
Starlight Silver
Surf's Up
Twilight Shadow
Ultra BlueIUB
Warm GreyIWG
Zesty Lime

Legion® Glass

Segmented Glass Insert

Clear	
Satin Etch One-SideGLV	
Whtie LaminateGLC	
Divider Screen	
ClearGLA	
Satin Etch One-SideGLV	
Clear glass features polished edge treatment. S	Satin
etch glass features satin etch edge treatment.	

Legion® Worksurfaces

Surface Finish - Laminate

Biltmore Cherry LB Black LB	
Brighton Walnut LB	
Canyon ZephyrLC	
Castle Oak LC	
Casual LinenLC	
Cherry Storm	
Classic Linen	·V
Cloud Zephyr	
Cocobala	
Coffee Bean LC	
Crisp Linen	יו
Desert Zephyr LC	
Dove Grey LD	
Fired Steel LII	
Flax Linen	
Florence Walnut LF	יו ר
Forged SteelLC	וו
Frosty WhiteLF	
Graphite Nebula	
Grey	
High RiseLL	
Hollyberry LH	
rish Linen LII	
sland	
Kensington Maple	
Lapis Blue	
Misted Zephyr	
Monticello Maple	
Nickel Evolv	
North SeaLN	
OceanLC	
Orange GroveLC	
Pearl BisqueLP	
Pearl SilverLP	
Pressed Linen LP	
River CherryLR	
Rugged LinenLG	
Satin Stainless	
Silicon EvolvLS	
SproutLZ	
Sterling Ash LA	
Tailored LinenLT	
Titanium EvolvLT	
White NebulaLV	
White Sand LV	
Windsor Mahogany LV	VY
ommet Color	

Black......BL Blue Grey.....GR

Cayenne
Champagne MetallicCN
Cool Grey
CottonwoodCO
Earthen ClayEY
Espresso MetallicEX
Everglade ShadeEV
Flannel
Hazy Jade
Light Tone LG
Mardi Gras
Misty BrownMY
Nemo
NordicND
Purple Haze
Rubber DuckyRK
Sand
Starlight Silver
Surf's Up
Twilight Shadow
Ultra BlueUB
Warm GreyWC
Zesty Lime ZL

age Color for 74P
Biltmore CherryEBT
BlackEBL
Blue Grey
Brighton WalnutEBV
Castle Oak
Cherry Storm
CocobalaECC
Cool Grey
Flannel
Florence WalnutEFC
Frosty WhiteEFV
Italian Silver Ash
Kensington Maple EKN
Light ToneELG
Mardi GrasEM
Misty BrownEM
Monticello Maple EM
Multiplex
Nemo
Purple Haze
River CherryERY
Rubber DuckyERK
Sand
Sterling Ash
Surf's UpESP
Ultra BlueEUE
Warm GreyEW
Windsor MahoganyEW
Zesty Lime





Legion® Worksurfaces	
Bracket Color (Countertops)	
Black	BL
Blue Grey	.GR
Bronze Metallic	.ZM
Cayenne	
Champagne Metallic	.CM
Cool Grey	
Cottonwood	.co
Earthen Clay	.EY
Espresso Metallic	.EX
Everglade Shade	.EV
Flannel	.FN
Hazy Jade	.HJ
Light Tone	.LG
Mardi Gras	.MG
Misty Brown	.MY
Nemo	.NE
Nordic	.ND
Purple Haze	.PH
Rubber Ducky	
Sand	.SA
Starlight Silver	.SX
Surf's Up	.SP
Twilight Shadow	.TI
Ultra Blue	
Warm Grey	.WG
Zesty Lime	.ZL
Legion® Electrical	
Bezel Color	
Black	
Blue Grey	
Cool Grey	
Light Tone	
Misty Brown	
Sand	
Warm Grey	.BWG
Receptacle Color	
Black	.BL
Blue Grey	.GR
Cool Grey	.CG
Light Tone	.LG
Misty Brown	.MY
Sand	.SA
Warm Grey	.WG
Legion® Exposed Infeed Coat	ing
Infeed Options	
Black	.BI
Blue Grey	
Light Tone	
Sand	
Sand	.5~

Legion® Universal Overhead
Laminate Color
Biltmore CherryLBT
BlackLBK
Brighton Walnut LBW
Canyon ZephyrLCA
Castle Oak LCO
Casual LinenLCU
Cherry Storm LCX
Classic Linen
Cloud Zephyr LCL
CocobalaLCC
Coffee Bean LCB
Crisp Linen LRI
Desert Zephyr LDZ
Dove Grey LDG
Fired Steel LIL
Flax Linen LXF
Florence Walnut LFC
Forged SteelLOL
Frosty WhiteLFW
Graphite Nebula
Grey LGE
High Rise LHE
Hollyberry LHY
Irish LinenLIH
Island LID
Italian Silver Ash LIT
Kensington Maple LKM
Lapis BlueLLB
Markerboard LMK
Misted Zephyr LMR
Monticello Maple LMT
Nickel EvolvLNV
North SeaLNA
OceanLON
Orange GroveLOE
Pearl BisqueLPB
Pearl Silver LPS
Pressed Linen LPR
River CherryLRY
Rugged Linen
Satin Stainless LSS
Shadow Zephyr LSR
Silicon EvolvLSV
Sprout LZP
Sterling Ash LAZ
Tailored LinenLTL
Titanium EvolvLTV
White NebulaLWL
White SandLWN
Windsor MahoganyLWY

Warm Grey......WG

Paint ColorBlackBLBlue GreyGRBronze MetallicZMCayenneCYChampagne MetallicCMCool GreyCGCottonwoodCOEarthen ClayEYEspresso MetallicEXEverglade ShadeEVFlannelFNLight ToneLGMisty BrownMYNordicNDSandSAStarlight SilverSXWarm GreyWGUniversal overhead door handle trim color
automatically coordinates plastic color from the following: Black (BL), Blue Grey (GR), Light Tone (LG),
Sand (SA), Warm Grey (WG) trim color coordinate based on paint color.
Trim Color
Black BL Blue Grey GR Cool Grey CG Light Tone LG Misty Brown MY Sand SA Warm Grey WG
<u>Legion® Venus® Overhead</u>
Cabinet Paint Color Black .BL Blue Grey .GR Bronze Metallic .ZM Cayenne .CY Champagne Metallic .CM
Cool Grey .CG Cottonwood .CO Earthen Clay .EY

Everglade ShadeEV

Light Tone. LG

Mardi Gras.....MG

Nordic......ND

Starlight Silver	(
Surf's Up)
Twilight Shadow	
Ultra BlueUl	В
Warm GreyW	G
Zesty Lime	
Upper Door Solid Color	
BlackUI	BL
Blue Grey	GF
Cool Grey	CG
Light Tone	
Misty Brown	M
Sand	SA
Warm GreyU	W
Shelf Divider Paint Color	
BlackBl	
Blue Grey	R
Cool Grey	3
Light Tone LG	ì
Misty Brown	Υ
Sand	١
Warm GreyW	G
Venus® Laminate Door Edge Color	
BlackEE	3L
Cool Grey	G
Blue Grey	ŝR
Light Tone	.G
Misty BrownEN	V۱
Sand	iΑ
Warm GreyEN	N
Laminate is only available for the upper doo	r.
Legion® Venus® Overhead	

Laminate Color Biltmore Cherry.....LBT Black.....LBK Brighton Walnut LBW Canyon Zephyr.....LCA Castle Oak LCO Casual Linen.....LCU Cherry Storm LCX Classic Linen. LCI Cloud Zephyr.....LCL CocobalaLCC Coffee Bean LCB Desert Zephyr LDZ Dove Grey LDG Fired Steel LIL Flax Linen.....LXF Florence Walnut LFC Forged Steel.....LOL

Frosty WhiteLFW



Graphite Nebula LGN	Cool Grey
Grey LGE	
High RiseLHE	
Hollyberry LHY	•
Irish LinenLIH	Everglade Sha
Island LID	Flannel
Italian Silver Ash LIT	Hazy Jade
Kensington Maple LKN	Light Tone
Lapis BlueLLB	Mardi Gras
Markerboard LMI	
Misted Zephyr LMI	•
Monticello Maple LM	
Nickel EvolvLNV	
North SeaLNA	•
OceanLON	· · · · · · · · · · · · · · · · · · ·
Orange GroveLOE	
Pearl Bisque LPB	Surf's Up
Pearl Silver LPS	Twilight Shado
Pressed Linen LPR	Ultra Blue
River Cherry LRY	Warm Grey
Rugged Linen LGR	•
Satin Stainless LSS	Surface Finish
Shadow Zephyr LSR	Biltmore Cher
Silicon EvolvLSV	Black
SproutLZP	Brighton Walr
Sterling Ash LAZ	Canyon Zephy
Tailored LinenLTL	Castle Oak
Titanium EvolvLTV	Casual Linen.
White NebulaLWI	
White SandLWI	Cherry Storm
Windsor MahoganyLWY	Classic Efficit.
	Cocobala
egion® Accessories/Paper	Coffee Bean.
<u>lanagement</u>	Crisp Linen
idila gerilette	Desert Zephyr
im Color	• •
BlackBL	Dove Grey Fired Steel
Blue Grey	Flax Linen
Cool Grey	Florence Walr
Light ToneLG	Forged Steel.
Misty BrownMY	•
Sand	Frosty White
Warm GreyWG	Graphite Neb
odesty Panel Acrylic Insert	Grey
Claud	High Rise

Cool Grey	.CG
Cottonwood	.co
Earthen Clay	.EY
Espresso Metallic	.EX
Everglade Shade	.EV
Flannel	.FN
Hazy Jade	
Light Tone	
Mardi Gras	.MG
Misty Brown	.MY
Nemo	.NE
Nordic	
Purple Haze	
Rubber Ducky	
Sand	
Starlight Silver	
Surf's Up	
Twilight Shadow	
Ultra Blue	
Warm Grey	
Zesty Lime	
surface Finish	.2L
	LDT
Biltmore Cherry	
Black	
Brighton Walnut	
Canyon Zephyr	
Castle Oak	
Casual Linen	
Cherry Storm	
Classic Linen	
Cloud Zephyr	
Cocobala	
Coffee Bean	
Crisp Linen	
Desert Zephyr	
Dove Grey	
Fired Steel	.LIL
Flax Linen	.LXF
Florence Walnut	.LFC
Forged Steel	.LOL
Frosty White	.LFW
Graphite Nebula	.LGN
Grey	.LGE
High Rise	.LHE
Hollyberry	.LHY
Irish Linen	.LIH
Island	
Italian Silver Ash	
Kensington Maple	
Lapis Blue	
Markerboard	
Misted Zephyr	
Monticello Maple	
Nickel Evolv	

North Sea	
Ocean	lOI
Orange Grove	LOE
Pearl Bisquel	LPE
Pearl Silver	LPS
Pressed Linen	
River Cherry	DV
Rugged Linen	
Satin Stainless	LSS
Shadow Zephyr	LSH
Silicon Evolv	
Sprout	LZP
Sterling Ash	LAZ
Tailored Linen	
Titanium Evolv	LTV
White Nebula	LW
White Sand	
Windsor Mahogany	LW
Edge Color	
Biltmore Cherry	
Black	
Blue Grey	
Brighton Walnut	
Castle Oak	ECC
Cherry Storm	
Cocobala	ECC
Cool Grey	ECC
Flannel	ΕFΝ
Florence Walnut	EFC
Frosty White	
Italian Silver Ash	
Kensington Maple	
Light Tone	
Mardi Gras	
Misty Brown	
Monticello Maple	
Multiplex	
Nemo	EINI
Purple Haze	
River Cherry	
Rubber Ducky	
Sand	ESA
Sterling Ash	
Surf's Up	
Ultra Blue	
Warm Grey	
Windsor Mahogany	
Zesty Lime	E71
2004, 2	

Cayenne
Champagne MetallicCN
Cool Grey
CottonwoodCO
Earthen Clay
Espresso Metallic
Everglade ShadeEV
Flannel
Hazy Jade
Light Tone LG
Mardi GrasM0
Misty Brown
Nemo
Nordic
Purple Haze
Rubber Ducky
Sand
Starlight Silver MetallicSX
Surf's UpSP
Twilight Shadow
Ultra BlueUB
Warm GreyW0
Zesty Lime
Core Color
Fluted Clear Plastic CoreCP
Fluted Opal Plastic Core OP

Rolling Door Threshold

Finished/Anodized Color

Black		 	•						•	•				•	•	.BL
Clear Silve	r.	 														.CL

Vini™

Black	BL
Blue Grey	GF
Bronze Metallic	ZΝ
Cayenne	CY
Champagne Metallic	C١

Ghost White......AGE

Rolling Door

Trim Color/Paint Color

BlackB	L
Blue Grey	iR
Bronze Metallic Z	M





Actual Samples and Replacement Cards

Contact your Sales or Customer Service Representative.

- Not all colors are available on all products.
- There will be slight variations in color, texture and finish.
- Swatches are provided as a preliminary color reference and should not be used for a final color selection.
- Please refer to the Color Addendum for product line details and options.

METALLIC POWDERCOAT & CHROME PLATED















74P 1 - 1/4" STRAIGHT

MOLDED EDGE COLORS - VINYL EDGE





74P 1 - 1/4" STRAIGHT


MOLDED EDGE COLORS - WOODGRAIN VINYL EDGE





STANDARD LAMINATES

SOLIDS



MISCELLANEOUS



WOODGRAIN LAMINATES



^{*} Consider factory lead time when ordering

LINEN



ZEPHYR



EVOLV







PREMIUM LAMINATES (UPCHARGE APPLIES TO ALL SURFACE TEXTURES)

SOLIDS WOODGRAIN LAMINATES METALLICS



Select Laminate Surface Textures (excluding for MARKERBOARD WHITE)

LAMINATE SURFACE TEXTURES



#01 HIGH GLOSS - PREMIUM

A mirror sheen finish, which gives a smooth, brilliant appearance. Recommended for horizontal applications such as countertops and light-to medium commercial applications. Excellent for vertical application.



#18 LINEARITY - PREMIUM

A directional texture running the length of the sheet, having a narrow, random, matte-gloss linear quality. It is complementary to linear woodgrains, and linear patterns and provides dimension and visual movement to solid colors. Recommended for horizontal and vertical application.



#28 GLOSS LINE - PREMIUM

A linear woodgrain texture with varied widths of narrow grain structures in an alternating mix of matte and gloss surface areas. Recommended for horizontal and vertical application.



#55 GLAZE - HD PREMIUM

A layering of matte features over a glaze of semi-gloss, creates this timeworn effect. Recommended for horizontal and vertical application.



#07 TEXTURED GLOSS - PREMIUM

A textured finish which reproduces the high sheen of waxed wood furniture. Recommended for horizontal and vertical application.



#19 LENO WEAVE* - PREMIUM

AEONT NEW Random intersecting horizontal and vertical lines create a geometric weave with a matte-gloss mix. Recommended for horizontal and vertical application.



#35 MIRAGE - HD PREMIUM

Subtle variations in matte and gloss finish connect to nature's own finishes: rough and weathered, smooth and polished. Recommended for horizontal and vertical application.



#57 ALIGNED OAK* - HD PREMIUM

NEW Authentic realism is brought to the surface using synchronized texture as each elegantly aged oak design exhibits the natural dimension and feel of real wood. Recommended for horizontal



#12 SOFTGRAIN - PREMIUM

A dense, woodgrain structure that is low gloss and soft to the touch. Subtle highlights of reflectivity randomly occur within the embossed grains, creating a sophisticated raw wood look. Recommended for horizontal and vertical application.



#21 SOFT SILK* - PREMIUM

NEW A smooth, ultra-matte texture that leaves a soft-to-the-touch sensation coupled with a low sheen. Recommended for horizontal and vertical application.



#38 FINE VELVET TEXTURE - STANDARD

A smooth textured finish with moderate reflective value.
Recommended for horizontal and vertical application.



#60 MATTE - STANDARD

and vertical application.

Textured finish with a moderate reflective quality. Recommended for horizontal and vertical application.



#16 CASUAL RUSTIC - PREMIUM

A woodgrain texture with a blend of grain variations ranging from linear to subtle movement with random, irregular features. The overall low gloss surface is accented with higher sheen woodgrain ticking and random highlights. Recommended for horizontal and vertical application.



#22 ANTIQUE - PREMIUM

A mixture of varying low gloss features combined with organic movement, indicative of the surface of an aged stone or an antique metal. Recommended for horizontal and vertical application.



#52 QUARRY - PREMIUM

Premium finish emulating the "pitted" look of polished natural stone. Recommended for horizontal and vertical application.



#78 FINEGRAIN - PREMIUM

This premium finish features the polish and luxe of a real wood veneer, with a subtle, narrow grain structure that runs the length of the sheet. Recommended for horizontal and vertical application.





Finish features AEON™ Enhanced Performance Technology, providing 3x industry standard wear resistance, improved scratch, scuff and mar performance, versus comparable competitive finishes.




ANTIMICROBIAL PROTECTION is built into the laminate to protect the surface against damaging microbes. Antimicrobial agents protect the surface from the growth of mold and mildew that cause odors when used for countertops and work surfaces.











R - Standard Base Raceway

- Standard base raceway on both sides accepts power and data cable distribution
- · Includes monolithic fabric tiles for both sides
- · Panel assembly includes frame, trim, and
- · panel-to-panel connectors
- · Trim is metal and includes top cap, bottom trim channel, and base raceway
- · Side 1 and side 2 finishes are specified separately
- 30-72" wide panels feature two power knock-outs
- 24" wide panels feature one power knockout
- · 72" wide panels feature split tiles
- · Electrical components are specified separately



L - Elevated Base


- Elevated base does not accept cable distribution
- Includes monolithic fabric tiles for both sides
- Panel assembly includes frame, trim, and
- panel-to-panel connectors
- · Trim is metal and includes top cap, bottom trim channel, and foot shruod
- · Side 1 and side 2 finishes are specified separately
- 72" wide panels feature split tiles



T - Tile-to-Floor One Side;


Standard Base Raceway One Side

- Side 1: tile-to-floor base does not accept cable distribution
- Side 2: standard base raceway accepts power and data cable
- Panel assembly includes frame, trim, and panel-to-panel connectors
 - Includes monolithic fabric tiles for both sides
- Trim is metal and includes top cap, bottom trim channel, and base raceway
- Side 1 and side 2 finishes are specified separately 30-72" wide tiles feature two power knock-outs on side 2
- 24" wide tiles feature one power knockout on side 2
- 72" wide panels feature split tiles
- · Electrical components are specified separately




RBW - Standard Base Raceway (Beltway Power)

- · Standard base raceway on both sides accepts power and data cable distribution
- · Includes monolithic fabric tiles for both sides · Panel assembly includes frame, trim, and panel-
- to-panel connectors Trim is metal and includes top cap, bottom trim
- channel, and base raceway
- Side 1 and side 2 finishes are specified separately 30-72" wide panels feature two power knock-outs
- 24" wide panels feature one power knockout
- · 72" wide panels feature split tiles
- · Electrical components are specified separately
- · 32" height not available



LBW - Elevated Base (Beltway Power)

- 30-72" wide tiles each feature two power knockouts with bezels at above-worksurface beltway
- 24" wide tiles each feature one power knock-out with bezel at above-worksurface beltway
- Raised base does not accept cable distribution
- Includes monolithic fabric tiles for both sides
- Panel assembly includes frame, trim, and panel-to-
- Trim is metal and includes top cap, bottom trim channel, and foot shroud
- Side 1 and side 2 finishes are specified separately
- · 72" wide panels feature split tiles
- · Electrical components are specified separately
- · 32" height not available



TBW - Tile-to-Floor One Side; Standard Base Raceway One Side (Beltway Power)

- · Side 1: tile-to-floor base does not accept cable distribution at base or beltway
- · Side 2: standard base raceway and above- worksurface beltway accept cable distribution
- · Includes monolithic fabric tiles for both sides
- · Panel assembly includes frame, trim, and panel-to-panel
- Trim is metal and includes top cap, bottom trim channel, and base raceway
- Side 1 and side 2 finishes are specified separatelySide 2: 30-72" wide tiles feature two base and two beltway power knockouts
- . Side 2: 24" wide tiles feature one base and one beltway power knockout and base raceway
- · 72" wide panels feature split tiles
- · Electrical components are specified separately
- · 32" height not available



REFER TO THE NEXT PAGE TO BUILD A MODEL NUMBER FOR THIS PRODUCT







BASIC MODEL	SIZE (W x H)	TOP CAP STYLE	ELECTRICAL CODE	BEZEL COLOR	TRIM COLOR	NET PRICE	BELTWAY POWER UPCHARGE
LMF===	2432 (24" x 32")		D□			\$183	
LMF===	3032 (30" x 32")		D□			\$200	
LMF===	3632 (36" x 32")		D□			\$208	
LMF===	4232 (42" x 32")		D□			\$224	
LMF===	4832 (48" x 32")		D□			\$233	
LMF===	5432 (54" x 32")		D□			\$206	
LMF===	6032 (60" x 32")		D□			\$217	
LMF===	7232 (72" x 32")		D□			\$289	
LMF===	2440 (24" x 40")		D□	000	00	\$280	\$54
LMF===	3040 (30" x 40")		D□			\$286	\$71
LMF===	3640 (36" x 40")		D□	000	00	\$238	\$65
LMF===	4240 (42" x 40")		D□			\$262	\$68
LMF===	4840 (48" x 40")		D□	000	00	\$268	\$70
LMF===	5440 (54" x 40")		D□			\$296	\$75
LMF===	6040 (60" x 40")		D□	000	00	\$303	\$85
LMF===	7240 (72" x 40")		D□			\$296	\$113
LMF===	2448 (24" x 48")		D□	000		\$290	\$51
LMF □□□	3048 (30" x 48")		D□			\$314	\$67
LMF===	3648 (36" x 48")		D□	000		\$326	\$70
LMF===	4248 (42" x 48")		D□			\$332	\$70
LMF===	4848 (48" x 48")		D□			\$270	\$66
LMF□□□	5448 (54" x 48")		D□			\$296	\$70
LMF===	6048 (60" x 48")		D□			\$325	\$73
LMF===	7248 (72" x 48")		D□			\$372	\$121
LMF===	2456 (24" x 56")		D□	000		\$362	\$61
LMF□□□	3056 (30" x 56")		D□			\$315	\$66
LMF===	3656 (36" x 56")		D□	000		\$337	\$76
LMF□□□	4256 (42" x 56")		D□			\$348	\$92
LMF===	4856 (48" x 56")		D□	000		\$412	\$85
LMF===	5456 (54" x 56")		D□	000		\$421	\$83
LMF===	6056 (60" x 56")		D□	000		\$321	\$83
LMF□□□	7256 (72" x 56")		D□			\$364	\$133
LMF===	2464 (24" x 64")		D□	000		\$375	\$72
LMF _□	3064 (30" x 64")		D□	000		\$439	\$86
LMF _□	3664 (36" x 64")		D□	000		\$466	\$92
LMF ₀	4264 (42" x 64")		D□	000		\$422	\$96
LMF _□	4864 (48" x 64")		D□	000		\$467	\$100
LMF ₀	5464 (54" x 64")		D□	000		\$475	\$85
LMF _□	6064 (60" x 64")		D□	000		\$528	\$109
LMF□□□	7264 (72" x 64")		D□	000		\$536	\$152
0	2	3	4	6	6		

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

Select Basic Model

R - Standard Base Raceway Add \$15 upcharge

RBW - Standard Base Raceway (Beltway Power) Add Beltway Power upcharge L - Elevated Base

LBW - Elevated Base (Beltway Power) Add Beltway Power upcharge

T - Tile-to-Floor One Side; Standard Base Raceway One Side Add \$15 upcharge TBW - Tile-to-Floor One Side;

Standard Base Raceway One Side (Beltway Power) Add Beltway Power upcharge

2 Select Size

Select Top Cap Style F - Flat trim (std)

N - No top cap

4 Select Electrical Code

- N Domestic (No cutouts)
- P Domestic (w/ cutouts)
- 1 Domestic (one side w/ cutouts)


Select Bezel ColorRefer to Color Options

6 Select Trim Color Refer to Color Options










Monolithic Open Panel - 32" H

- Standard base raceway on both sides accepts power and data cable distribution
- · Aluminum powder coated open frame allows passthrough accessibility range of 8" to 29" from floor
- Panel assembly includes frame, trim, and panel-to-panel connecting hardware
- Trim is metal and includes top cap, bottom trim channel, base raceway and open frame
- 30-60" wide panels feature two power knockouts per side Side 2: 30-60" wide tiles feature two base and two beltway power knockouts
- 24" wide panels feature one power knockout per side
- Electrical components are specified separately

BASIC MODEL	WxH	TOP CAP STYLE	ELECTRICAL CODE	TRIM COLOR	NET PRICE
LMOR	2432(24"x32")		D□		\$314
LMOR	3032(30"x32")		D□		\$338
LMOR	3632(36"x32")		D□		\$354
LMOR	4232(42"x32")		D□		\$380
LMOR	4832(48"x32")		D□		\$388
LMOR	5432(54"x32")		D□		\$408
LMOR	6032(60"x32")		D□		\$415



Monolithic Open Panel - 32" H

- Elevated base is non-powered and does not accept cable distribution
- Features powder coated aluminum frame
- Open frame allows pass-through accessibility range of 8" to 29" from floor
- Panel assembly includes frame, trim, and panel-to-panel connecting hardware
- Trim is metal and includes top cap, bottom trim channel, base raceway and open frame

2432(24"x32")		-			\$317
3032(30"x32")		=			\$339
3632(36"x32")		-			\$352
4232(42"x32")		-			\$376
4832(48"x32")		-			\$382
5432(54"x32")		-			\$400
6032(60"x32")		-			\$404
	3032(30"x32") 3632(36"x32") 4232(42"x32") 4832(48"x32") 5432(54"x32")	3032(30"x32")	3032(30"x32")	3032(30"x32")	3032(30"x32")

6 8 4

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required


- 1 Select Basic Model
- 2 Select Size
- Select Top Cap Style
 - F Flat trim (std)
 - N No top cap

- 4 Select Electrical Code
 - N Domestic (No cutouts)
 - P Domestic (with cutouts)
 - 1 Domestic (1 side cut out)
- Select Trim Color
 - **Refer to Color Options**











R - Standard Base Raceway

- Includes upper and lower segmented fabric tiles for both sides
 Upper and lower segments must be identically specified
- Standard base raceway on both sides accepts power and data cable distribution
- Panel assembly includes frame, trim, and panel-to-panel connectors
- Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel
- Side 1 and side 2 finishes are specified separately
- 30-72" wide panels feature two power knockouts per side
- 24" wide panels feature one power knockout per side
- · 72" wide panels feature split tiles
- Electrical components are specified separately




L - Elevated Base

- Includes segmented fabric tiles for both sides
- Upper and lower segments must be
 identically specified
- Elevated base does not accept cable
- distribution
- Panel assembly includes frame, trim,
 and panel-to-panel connectors
- Trim is metal and includes top cap,
- bottom trim channel, and foot shroud
- Side 1 and side 2 finishes are specified separately
- 72" wide panels feature split tiles



T - Tile-to-Floor One Side; Standard Base Raceway One Side

- Side 1: tile-to-floor base does not accept cable distribution
- Side 2: standard base raceway accepts power and data cable distribution
- Includes segmented fabric tiles for both sides
- Upper and lower segments must be identically specified
- Panel assembly includes frame, trim, and panel-to-panel connectors
- Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel
- Side 1 and side 2 finishes are specified separately
- Side 2: 30-72" wide tiles feature two base power knockouts
- Side 2: 24" wide tiles feature one power knockout
- 72" wide panels feature split tiles
- · Electrical components are specified
- separately




MB1R - Segmented Fabric Panel

- Side 1: includes segmented tiles with identically specified fabric lower and upper segments
- Side 2: includes segmented tiles with fabric lower and steel markerboard upper segment
- Standard base raceway on both sides
- accepts power and data cable distribution
- Panel assembly includes frame, trim, and panel-to-panel connectors
- Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel
- Upper and lower fabric finishes on side 1 must be identically specified
 Side 1 and side 2 finishes are specified
- separately

 30-72" wide panels feature two power
- knockouts per side

 24" wide panels feature one power
- knockout per side
- 72" wide panels feature split tiles
 Electrical components are specified
- Electrical components are specific separately




RBW - Standard Base Raceway (Beltway Power) Includes segmented fabric tiles for

- both sides


 Upper and lower segments must be
- identically specified

 Standard base raceway on both
- Standard base raceway on both sides accepts power and data cable distribution
- Above worksurface beltway accepts power and data cable distribution
- Panel assembly includes frame, trim, and panel-to-panel connectors
- Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel
- Side 1 and side 2 finishes are specified separately
- 30-72" wide panels feature two power knockouts at base and two knockouts with bezels at beltway per side
- 24" wide panels each feature one power knockout and one knockout with bezel at beltway per side
- 72" wide panels feature split tiles
- Electrical components are specified separately




LBW - Elevated Base (Beltway Power)

- Includes segmented fabric tiles for both sides
- Upper and lower segments must be identically specified
- 30-72" wide tiles each feature two power knockouts with bezels at aboveworksurface beltway
- 24" wide tiles each feature one power
- knockout with bezel at aboveworksurface beltway
- Elevated base does not accept cable
- distribution
- Panel assembly includes frame, trim,
- and panel-to-panel connectors
- Trim is metal and includes top cap,
- · bottom trim channel, segment channel,
- and foot shroud
- Side 1 and side 2 finishes are specified separately
- 72" wide panels feature split tiles



TBW - Tile-to-Floor One Side; Standard Base Raceway One Side (Beltway Power)

- Side 1: tile-to-floor base does not accept cable distribution at base or beltway
- Side 2: standard base raceway and above-worksurface beltway accept cable distribution
- Includes fabric tiles for both sides
- Upper and lower segments must be identically specified
- Panel assembly includes frame, trim, and panel-to-panel connectors
- Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel
- Side 1 and side 2 finishes are specified separately
- Side 2: 30-72" wide tiles feature two base power knockouts and two beltway power knockouts with bezels
- Side 2: 24" wide tiles feature one base and one beltway power knockout with bezel
- 72" wide panels feature split tiles
- Electrical components are specified separately



MB2R - Segmented Fabric Panel

- Lower segment includes fabric tiles for both sides, specified separately
- Upper segments both feature steel markerboard
- Standard base raceway on both sides accepts power and data cable distribution
- Panel assembly includes frame, trim, and panel-to-panel connectors
- Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel
- 30-72" wide panels feature two power knockouts per side
- 24" wide panels feature one power knockout per side
- 72" wide panels feature split tiles
- Electrical components are specified separately

REFER TO THE NEXT PAGE TO BUILD A MODEL NUMBER FOR THIS PRODUCT







BASIC MODEL	SIZE (W x H)	TOP CAP STYLE	ELECTRICAL CODE	BEZEL COLOR	TRIM COLOR	NET PRICE	BELTWAY POWER UPCHARGE
LS	2440 (24" x 40")		D□	000	00	\$230	\$32
LS	3040 (30" x 40")		D□			\$242	\$44
LS	3640 (36" x 40")		D□	000		\$256	\$45
LS	4240 (42" x 40")		D□			\$264	\$47
LS	4840 (48" x 40")		D□	000	00	\$256	\$46
LS	5440 (54" x 40")		D□			\$269	\$44
LS	6040 (60" x 40")		D□	000	00	\$284	\$44
LS	7240 (72" x 40")		D□			\$323	\$76
LS	2448 (24" x 48")		D□	000	00	\$292	\$28
LS====	3048 (30" x 48")		D□	000		\$308	\$47
LS□□□□	3648 (36" x 48")		D□	000		\$325	\$47
LS 000	4248 (42" x 48")		D□			\$361	\$45
LS□□□□	4848 (48" x 48")		D□	000		\$308	\$48
LS	5448 (54" x 48")		D□			\$330	\$46
LS□□□□	6048 (60" x 48")		D□	000		\$345	\$50
LS	7248 (72" x 48")		D□			\$391	\$73
LS	2456 (24" x 56")		D□			\$332	\$33
LS	3056 (30" x 56")		D□			\$354	\$46
LS	3656 (36" x 56")		D□	000		\$376	\$46
LS	4256 (42" x 56")		D□			\$406	\$45
LS□□□□	4856 (48" x 56")		D□	000		\$365	\$45
LS	5456 (54" x 56")		D□			\$384	\$47
LS	6056 (60" x 56")		D□	000		\$418	\$47
LS	7256 (72" x 56")		D□			\$460	\$74
LS	2464 (24" x 64")		D□	000	00	\$407	\$35
LS	3064 (30" x 64")		D□			\$423	\$46
LS	3664 (36" x 64")		D□	000		\$451	\$46
LS	4264 (42" x 64")		D□			\$466	\$47
LS	4864 (48" x 64")		D□	000	00	\$495	\$45
LS	5464 (54" x 64")		D□			\$523	\$44
LS	6064 (60" x 64")		D□	000		\$552	\$48
LS	7264 (72" x 64")		D□			\$620	\$74
0	2	8	4	6	6		

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

Select Basic Model

R - Standard Base Raceway Add \$15 upcharge

RBW - Standard Base Raceway (Beltway Power) Add Beltway Power upcharge

L - Elevated Base

LBW - Elevated Base (Beltway Power) Add Beltway Power upcharge

T - Tile-to-Floor One Side; Standard Base Raceway One Side Add \$15 upcharge TBW - Tile-to-Floor One Side;

Standard Base Raceway One Side (Beltway Power) Add Beltway Power upcharge

MB1R - Markerboard on one side Add \$50 upcharge (not availlable in 40" height)

MB2R - Markerboard on both sides Add \$100 upcharge (not availlable in 40" height)

2 Select Size

3 Select Top Cap Style F - Flat trim (std)

N - No top cap

4 Select Electrical Code

- N Domestic (No cutouts)
- P Domestic (w/ cutouts)
- 1 Domestic (one side w/ cutouts)


5 Select Bezel Color **Refer to Color Options**

6 Select Trim Color **Refer to Color Options**











- Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment
- Standard base raceway on both sides accepts power and data cable distribution
- Open frame allows pass-through accessibility range of 8" to 29" from floor
- Panel assembly includes frame, trim, and panel-to-panel connecting hardware
- Trim is metal and includes top cap, bottom trim channel, base raceway, and open frame
- Side 1 and side 2 fabric finishes are specified separately
- 30-60" wide panels feature two power knockouts per side
- 24" wide panels feature one power knockout per side
- · Electrical components are specified separately



- Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment
- Elevated base is non-powered and does not accept cable distribution. No electrical code needed
- Open frame allows pass-through accessibility range of 8" to 29" from floor
- Panel assembly includes frame, trim, and panel-to-panel connecting hardware
- · Trim is metal and includes top cap, bottom trim channel, foot shroud, and open frame
- Side 1 and side 2 fabric finishes are specified separately

BASIC MODEL	WxH	TOP CAP STYLE	ELECTRICAL CODE	TRIM COLOR	NET PRICE
LSO□	2440(24"x40")		D□		\$409
LSO□	3040(30"x40")		D□		\$421
LSO□	3640(36"x40")		D□		\$435
LSO□	4240(42"x40")		D□		\$449
LSO□	4840(48"x40")		D□		\$436
LSO□	5440(54"x40")		D□		\$450
LSO□	6040(60"x40")		D□		\$465
LSO□	2448(24"x48")		D□		\$488
LSO□	3048(30"x48")		D□		\$456
LSO□	3648(36"x48")		D□		\$472
LSO□	4248(42"x48")		D□		\$489
LSO□	4848(48"x48")		D□		\$525
LSO□	5448(54"x48")		D□		\$491
LSO□	6048(60"x48")		D□		\$513
LSO□	2456(24"x56")		D□		\$527
LSO□	3056(30"x56")		D□		\$557
LSO□	3656(36"x56")		D□		\$501
LSO□	4256(42"x56")		D□		\$523
LSO□	4856(56"x56")		D□		\$538
LSO□	5456(54"x56")		D□		\$569
LSO□	6056(60"x56")		D□		\$525
LSO□	2464(24"x64")		D□		\$544
LSO□	3064(30"x64")		D□		\$572
LSO□	3664(36"x64")		D□		\$598
LSO□	4264(42"x64")		D□		\$552
LSO□	4864(64"x64")		D□	00	\$568
LSO□	5464(54"x64")		D□		\$596
LSO□	6064(60"x64")		D□	00	\$611
0	2	8	4	6	

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- Select Basic Model
 - R Standard Base Raceway Add \$15 upcharge
 - L Elevated Base
- 2 Select Size
- 3 Select Top Cap Style
 - F Flat trim (std)
 - N No top cap


- 4 Select Electrical Code
 - N Domestic (No cutouts)
 - P Domestic (with cutouts)
- 5 Select Trim Color











Segmented Open Panel (Standard Base Raceway)

- Lower segment includes fabric tiles for both sides, specified separately
- Upper segment features single piece of glass captured in frame
- Upper frame finish matches trim
- Standard base raceway on both sides accepts power and data cable distribution
- Panel assembly includes frame, trim, and panel-to-panel connectors
- Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel
- 30-72" wide panels feature two power knockouts per side
- 24" wide panels feature one power knockout per side
- 72" wide panels feature split tiles
- Electrical components are specified separately

Segmented Open Panel (Elevated Base)

- · Lower segment includes fabric tiles for
- both sides, specified separately
- Upper segment features single piece of glass captured in frame
- Upper frame finish matches trim
- Elevated base does not accept cable distribution
- Panel assembly includes frame, trim, and panel-to-panel connectors
- Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud
- 72" wide panels feature split tiles

WxH	BASIC MODEL	TOP CAP STYLE	ELECTRICAL CODE	TRIM COLOR	GLASS COLOR	NET PRICE CLEAR	WHITE LAMINATE NET PRICE	SATIN ETCH NET PRICE
LSG□	2440(24"x40")		D□	00	G□□	\$356	\$376	\$379
LSG□	3040(30"x40")		D□	00	G□□	\$368	\$390	\$394
LSG□	3640(36"x40")		D□	00	G□□	\$376	\$399	\$402
LSG□	4240(42"x40")		D□		G□□	\$395	\$426	\$435
LSG□	4840(48"x40")		D□	00	G□□	\$387	\$407	\$410
LSG□	5440(54"x40")		D□	00	G□□	\$399	\$422	\$425
LSG□	6040(60"x40")		D□	00	G□□	\$410	\$438	\$441
LSG□	7240(72"x40")		D□		G□□	\$464	\$508	\$518
LSG□	2448(24"x48")		D□	00	G□□	\$416	\$436	\$439
LSG□	3048(30"x48")		D□		G□□	\$429	\$454	\$457
LSG□	3648(36"x48")		D□	00	G□□	\$442	\$475	\$480
LSG□	4248(42"x48")		D□	00	G□□	\$464	\$515	\$528
LSG□	4848(48"x48")		D□	00	G□□	\$446	\$467	\$470
LSG□	5448(54"x48")		D□	00	G□□	\$460	\$491	\$497
LSG□	6048(60"x48")		D□	00	G□□	\$476	\$515	\$521
LSG□	7248(72"x48")		D□	00	G□□	\$533	\$597	\$615
LSG□	2456(24"x56")		D□	00	G□□	\$457	\$477	\$481
LSG□	3056(30"x56")		D□	00	G□□	\$472	\$509	\$516
LSG□	3656(36"x56")		D□	00	G□□	\$490	\$533	\$544
LSG□	4256(42"x56")		D□	00	G□□	\$516	\$589	\$608
LSG□	4856(56"x56")		D□	00	G□□	\$495	\$507	\$511
LSG□	5456(54"x56")		D□	00	G□□	\$507	\$545	\$557
LSG□	6056(60"x56")		D□	00	G□□	\$536	\$582	\$589
LSG□	7256(72"x56")		D□	00	G□□	\$586	\$664	\$693
LSG□	2464(24"x64")		D□		G□□	\$504	\$516	\$520
LSG□	3064(30"x64")		D□	00	G□□	\$520	\$558	\$572
LSG□	3664(36"x64")		D□	00	G□□	\$549	\$595	\$603
LSG□	4264(42"x64")		D□	00	G□□	\$568	\$644	\$673
LSG□	4864(64"x64")		D□		G□□	\$674	\$686	\$689
LSG□	5464(54"x64")		D□	00	G□□	\$692	\$749	\$757
LSG□	6064(60"x64")		D□		G□□	\$719	\$800	\$800
LSG□	7264(72"x64")		D□	00	G□□	\$779	\$863	\$914
1	2	3	4	6	6			

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

R - Standard Base Raceway Add \$15 upcharge

L - Elevated Base

Select Size

3 Select Top Cap Style

F - Flat trim (std)

N - No top cap

4 Select Electrical Code

N - Domestic (No cutouts)
P - Domestic (with cutouts)

5 Select Trim Color

Refer to Color Options

6 Select Glass Color

LA - Clear (std)


LC - White laminate Use White Laminate Net Price

LV - Satin etch one side Use Satin Etch Net Price









Fabric	Stackii	ng Pane	l - 1	.6" H
---------------	---------	---------	-------	-------

- Side 1 and side 2 fabrics are specified separately
- All sizes stack above panels of equal widths
- 48"-72" sizes may span multiple panels
- Only one stacking section may be added to a frame
- No power is available on stacking sections
- No storage or accessories may be hung from stacking sections
- Panel Assembly includes stacking frame, segment channel, tiles and panel-to-panel connectors
- · Trim is metal and includes segment channel

WxH	BASIC MODEL	TRIM COLOR	NET PRICE
24" x 16"	LSTF2416	00	\$148
30" x 16"	LSTF3016		\$157
36" x 16"	LSTF3616	00	\$169
42" x 16"	LSTF4216		\$188
48" x 16"	LSTF4816	00	\$192
54" x 16"	LSTF5416		\$197
60" x 16"	LSTF6016	00	\$221
72" x 16"	LSTF7216		\$314

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


Select Basic Model

2 Select Trim Color









Sal	hil	Stee	I Star	cking	Panel	- 16"	н

- Single steel section captured within aluminum frame
- All sizes stack above panels of equal widths
- 48"-72" sizes may span multiple panels
- Only one stacking section may be added to a frame
- No power is available on stacking sections
- No storage or accessories may be hung from stacking sections
- Steel insert paint color is specified separate from trim, side 1 and side 2 are identical
- · Frame matches trim finish

WxH	BASIC MODEL	TRIM COLOR	INSERT COLOR		NET PRICE
24" x 16"	LSTS2416				\$197
30" x 16"	LSTS3016				\$211
36" x 16"	LSTS3616		00		\$238
42" x 16"	LSTS4216				\$253
48" x 16"	LSTS4816				\$262
54" x 16"	LSTS5416				\$303
60" x 16"	LSTS6016				\$378
72" x 16"	LSTS7216				\$437
	0	2	•		

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.


The absence of □ indicates that no choice is required

- 1 Select Basic Model
- 2 Select Trim Color Refer to Color Options
- 3 Select Insert Color Refer to Color Options









		Ct-	-1-:	Panel	1 4	~//
Gli	ass	Sta	cking	Pane	- T6	o∵ H

- Single glass pane captured within aluminum frame
- All sizes stack above panels of equal widths
- 48"-72" sizes may span multiple panels
- Only one stacking section may be added to a frame
- No power is available on stacking sections
- No storage or accessories may be hung from stacking sections
- · Frame matches trim finish

WxH	BASIC MODEL	TRIM COLOR	GLASS COLOR	NET PRICE CLEAR	NET PRICE WHITE LAMINATE	NET PRICE SATIN ETCH
24" x 16"	LSTG2416	00	000	\$215	\$212	\$215
30" x 16"	LSTG3016			\$223	\$220	\$223
36" x 16"	LSTG3616	00	000	\$239	\$236	\$239
42" x 16"	LSTG4216			\$268	\$262	\$268
48" x 16"	LSTG4816	00	000	\$280	\$273	\$280
54" x 16"	LSTG5416			\$292	\$280	\$292
60" x 16"	LSTG6016	00	000	\$300	\$286	\$300
72" x 16"	LSTG7216			\$396	\$388	\$396

0

0

8

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.


The absence of □ indicates that no choice is required

- 1 Select Basic Model
- 2 Select Trim Color Refer to Color Options
- 3 Select Glass Color GLA - Clear (std)
 - GLC White laminate
 GLV Satin etch one side









Perforated Steel Stacking Panel - 16" H

- Single perforated steel section captured within aluminum frame
- All sizes stack above panels of equal widths
 48"-72" sizes may span multiple panels
- Only one stacking section may be added to a frame
- No power is available on stacking sections
- No storage or accessories may be hung from stacking sections
- Steel insert paint color is specified separate from trim, side 1 and side 2 are identical
- · Frame matches trim finish
- For perforated color options, see page xx

WxH	BASIC MODEL	TRIM COLOR	INSERT COLOR	NET PRIC
24" x 16"	LSTP2416			\$210
30" x 16"	LSTP3016			\$225
36" x 16"	LSTP3616			\$248
42" x 16"	LSTP4216			\$271
48" x 16"	LSTP4816			\$278
54" x 16"	LSTP5416			\$297
60" x 16"	LSTP6016			\$301
72" x 16"	LSTP7216			\$387

0 0

8

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.


The absence of □ indicates that no choice is required

- Select Basic Model
- 2 Select Trim Color Refer to Color Options
- 3 Select Insert Color Refer to Color Options









Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.


The absence of □ indicates that no choice is required

- 1 Select Basic Model
- 2 Select Trim Color
 Refer to Color Options









2-Way 90°, "L" Corner, No Height Change • Select for 90° corner intersections of two same-height

- Includes full height corner trim, 90° top cap, connecting blocks, light block and connecting hardware

HEIGHT	BASIC MODEL	TRIM COLOR			NET PRICE
32"	U2W9032				\$59
40"	U2W9040				\$70
48"	U2W9048				\$72
56"	U2W9056				\$79
64"	U2W9064				\$94
72"	U2W9072				\$132
80"	U2W9080				\$139
	0	9			

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Trim Color









2-Way 90°. "L" Corner, with Height (2-Wav 90°.	"L" Corner.	with Height	Change
--------------------------------------	------------	-------------	-------------	--------

- Select for 90° corner intersections of one taller and one lower panel
- Includes corner and change of height trim, top cap, connecting blocks, light blocks and connecting hardware

Α	В	B-A	BASIC MODEL	TRIM COLOR		NET PRICE
32"	40"	8″	U2W901W3240	00		\$107
32"	48"	16"	U2W901W3248			\$119
32"	56"	24"	U2W901W3256			\$122
32"	64"	32"	U2W901W3264			\$125
32"	72"	40"	U2W901W3272			\$130
32"	80"	48"	U2W901W3280			\$133
40"	48"	8"	U2W901W4048			\$120
40"	56"	16"	U2W901W4056			\$130
40"	64"	24"	U2W901W4064			\$133
40"	72"	32"	U2W901W4072			\$138
40"	80"	40"	U2W901W4080			\$142
48"	56"	8"	U2W901W4856			\$132
48"	64"	16"	U2W901W4864			\$135
48"	72"	24"	U2W901W4872			\$139
48"	80"	32"	U2W901W4880			\$144
56"	64"	8"	U2W901W5664			\$136
56"	72"	16"	U2W901W5672			\$141
56"	80"	24"	U2W901W5680			\$145
64"	72"	8"	U2W901W6472			\$142
64"	80"	16"	U2W901W6480			\$151
72"	80"	8"	U2W901W7280			\$168





Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


Select Basic Model

2 Select Trim Color









2-Way 180°,	In-Line	spacer	Trim,	No
Height Chan	ge			

- Select for inline intersections of two same height panels, with panel-width spacing between
- Includes two full height flat trim pieces, 90° top cap, connecting blocks, and connecting hardware

HEIGHT	BASIC MODEL	TRIM COLOR			NET PRICE
32"	U2W180IL32				\$113
40"	U2W180IL40				\$117
48"	U2W180IL48				\$119
56"	U2W180IL56				\$123
64"	U2W180IL64				\$133
72"	U2W180IL72				\$190
80"	U2W180IL80				\$198
	_	_			

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


1 Select Basic Model

2 Select Trim Color









2-Way 180°, Trim One Side, with Height

- Select for inline intersections of one taller and one lower panel, with panel-width spacing between
- Includes two flat trim pieces, change of height 3-sided trim, top cap, connecting blocks, and connecting hardware

Α	В	В-А	BASIC MODEL	TRIM COLOR	NET PRICE
32"	40"	8"	U2W1801W3240	00	\$117
32"	48"	16"	U2W1801W3248		\$141
32"	56"	24"	U2W1801W3256	00	\$144
32"	64"	32"	U2W1801W3264		\$147
32"	72"	40"	U2W1801W3272		\$152
32"	80"	48"	U2W1801W3280		\$155
40"	48"	8"	U2W1801W4048		\$144
40"	56"	16"	U2W1801W4056		\$147
40"	64"	24"	U2W1801W4064		\$149
40"	72"	32"	U2W1801W4072		\$158
40"	80"	40"	U2W1801W4080		\$166
48"	56"	8"	U2W1801W4856		\$149
48"	64"	16"	U2W1801W4864		\$154
48"	72"	24"	U2W1801W4872		\$157
48"	80"	32"	U2W1801W4880	00	\$160
56"	64"	8"	U2W1801W5664		\$157
56"	72"	16"	U2W1801W5672	00	\$160
56"	80"	24"	U2W1801W5680		\$163
64"	72"	8"	U2W1801W6472		\$161
64"	80"	16"	U2W1801W6480		\$168
72"	80"	8"	U2W1801W7280	00	\$212





HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


Select Basic Model

2 Select Trim Color









- Select for 90° intersections of three same height panels
- Includes one full height trim piece, 90° top cap, connecting blocks, light blocks and connecting hardware

HEIGHT	BASIC MODEL	TRIM COLOR			NET PRICE
32"	U3W9032	00			\$62
40"	U3W9040				\$75
48"	U3W9048				\$76
56"	U3W9056				\$88
64"	U3W9064				\$94
72"	U3W9072				\$107
80"	U3W9080				\$125

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of □ indicates that no choice is required


- 1 Select Basic Model
- 2 Select Trim Color
 Refer to Color Options











3-Way 90°, Trim One Side "T" Corner, with Height Change

- Select for 90° three-way intersections of one taller and two lower panels
- Includes one flat trim piece, three-sided change of height trim, top cap, connecting blocks, light blocks, and connecting hardware

Α	В	В-А	BASIC MODEL	TRIM COLOR	NET PRICE
32"	40"	8"	U3W901W3240	00	\$109
32"	48"	16"	U3W901W3248		\$122
32"	56"	24"	U3W901W3256		\$125
32"	64"	32"	U3W901W3264		\$128
32"	72"	40"	U3W901W3272		\$135
32"	80"	48"	U3W901W3280		\$136
40"	48"	8"	U3W901W4048	00	\$123
40"	56"	16"	U3W901W4056		\$135
40"	64"	24"	U3W901W4064	00	\$138
40"	72"	32"	U3W901W4072		\$141
40"	80"	40"	U3W901W4080		\$147
48"	56"	8"	U3W901W4856		\$136
48"	64"	16"	U3W901W4864		\$139
48"	72"	24"	U3W901W4872		\$142
48"	80"	32"	U3W901W4880		\$148
56"	64"	8"	U3W901W5664		\$141
56"	72"	16"	U3W901W5672		\$149
56"	80"	24"	U3W901W5680		\$152
64"	72"	8"	U3W901W6472		\$151
64"	80"	16"	U3W901W6480		\$155
72"	80"	8"	U3W901W7280	00	\$174





HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


1 Select Basic Model

2 Select Trim Color









3-Way 90°, In-Line "T" Corner, with Height Change

- Select for 90° three-way intersections of two taller in-line panels and one lower perpendicular panel
- Includes one full height flat trim piece, one change-ofheight flat trim piece, 90° top cap, connecting blocks, light blocks, and connecting hardware

	Α	В	В-А	BASIC MODEL	TRIM COLOR	NET PRICE
t	32"	40"	8"	U3W90IL3240		\$120
	32"	48"	16"	U3W90IL3248		\$132
!	32"	56"	24"	U3W90IL3256		\$135
	32"	64"	32"	U3W90IL3264		\$142
ıt	32"	72"	40"	U3W90IL3272		\$174
	32"	80"	48"	U3W90IL3280		\$177
	40"	48"	8"	U3W90IL4048		\$133
	40"	56"	16"	U3W90IL4056		\$145
	40"	64"	24"	U3W90IL4064		\$149
	40"	72"	32"	U3W90IL4072		\$161
	40"	80"	40"	U3W90IL4080		\$173
	48"	56"	8"	U3W90IL4856		\$147
	48"	64"	16"	U3W90IL4864		\$152
	48"	72"	24"	U3W90IL4872		\$163
	48"	80"	32"	U3W90IL4880		\$174
	56"	64"	8"	U3W90IL5664		\$155
	56"	72"	16"	U3W90IL5672		\$168
	56"	80"	24"	U3W90IL5680		\$176
	64"	72"	8"	U3W90IL6472		\$170
	64"	80"	16"	U3W90IL6480		\$177
	72"	80"	8"	U3W90IL7280		\$179

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


Select Basic Model

2 Select Trim Color









3-Way 90°, Trim Two Sides "T" Corner, with Height Change

- Select for 90° three-way intersections of one taller and one lower inline panels and one perpendicular taller panel
- Includes one flat trim piece, two-sided change of height trim, top cap, connecting blocks, light blocks, and connecting hardware

Α	В	В-А	BASIC MODEL	TRIM COLOR	NET PRICE
32"	40"	8"	U3W902W3240	00	\$97
32"	48"	16"	U3W902W3248		\$106
32"	56"	24"	U3W902W3256		\$112
32"	64"	32"	U3W902W3264		\$116
32"	72"	40"	U3W902W3272		\$125
32"	80"	48"	U3W902W3280	00	\$128
40"	48"	8"	U3W902W4048		\$109
40"	56"	16"	U3W902W4056	00	\$122
40"	64"	24"	U3W902W4064		\$123
40"	72"	32"	U3W902W4072	00	\$126
40"	80"	40"	U3W902W4080		\$129
48"	56"	8"	U3W902W4856	00	\$123
48"	64"	16"	U3W902W4864		\$125
48"	72"	24"	U3W902W4872	00	\$128
48"	80"	32"	U3W902W4880		\$130
56"	64"	8"	U3W902W5664		\$126
56"	72"	16"	U3W902W5672		\$130
56"	80"	24"	U3W902W5680		\$133
64"	72"	8"	U3W902W6472		\$135
64"	80"	16"	U3W902W6480		\$136
72"	80"	8"	U3W902W7280		\$158

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


Select Basic Model

2 Select Trim Color









	4-Way	90°,	, "X"	, No	Height	Change
--	-------	------	-------	------	--------	--------

- Select for 90° intersections of four same height panels
- Includes 90° top cap, connecting blocks, light blocks and connecting hardware

HEIGHT	BASIC MODEL	TRIM COLOR			NET PRICE
32"	U4W9032	00			\$63
40"	U4W9040				\$78
48"	U4W9048				\$81
56"	U4W9056				\$100
64"	U4W9064				\$103
72"	U4W9072				\$110
80"	U4W9080				\$113
	0	2			

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


Select Basic Model

2 Select Trim Color









4-Way 90°, "X" Trim One Side, with Height

- Select for 90° four-way intersections of one taller and three lower panels
- Includes three-sided change of height trim, top cap, connecting blocks, light blocks, and connecting hardware

Α	В	В-А	BASIC MODEL	TRIM COLOR		NET PRICE
32"	40"	8"	U4W901W3240	00		\$104
32"	48"	16"	U4W901W3248			\$113
32"	56"	24"	U4W901W3256			\$116
32"	64"	32"	U4W901W3264			\$120
32"	72"	40"	U4W901W3272			\$128
32"	80"	48"	U4W901W3280			\$129
40"	48"	8"	U4W901W4048			\$116
40"	56"	16"	U4W901W4056			\$128
40"	64"	24"	U4W901W4064			\$130
40"	72"	32"	U4W901W4072			\$133
40"	80"	40"	U4W901W4080			\$141
48"	56"	8"	U4W901W4856	00		\$129
48"	64"	16"	U4W901W4864			\$132
48"	72"	24"	U4W901W4872			\$135
48"	80"	32"	U4W901W4880			\$142
56"	64"	8″	U4W901W5664	00		\$138
56"	72"	16"	U4W901W5672			\$151
56"	80"	24"	U4W901W5680	00		\$154
64"	72"	8"	U4W901W6472			\$152
64"	80"	16"	U4W901W6480			\$155
72"	80"	8"	U4W901W7280			\$157

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


Select Basic Model

2 Select Trim Color Refer to Color Options









4-Way 90°, "X" In-Line Intersections, with Height Change

- Select for 90° four-way intersections of two taller in-line and two lower panels
- Includes two change-of-height flat trim pieces, 90° top cap, connecting blocks, light blocks and connecting hardware

Α	В	B-A	BASIC MODEL	TRIM COLOR	NET PRICE
32"	40"	8"	U4W90IL3240	00	\$132
32"	48"	16"	U4W90IL3248		\$144
32"	56"	24"	U4W90IL3256	00	\$148
32"	64"	32"	U4W90IL3264		\$151
32"	72"	40"	U4W90IL3272		\$164
32"	80"	48"	U4W90IL3280		\$171
40"	48"	8"	U4W90IL4048		\$148
40"	56"	16"	U4W90IL4056		\$160
40"	64"	24"	U4W90IL4064		\$163
40"	72"	32"	U4W90IL4072		\$166
40"	80"	40"	U4W90IL4080		\$173
48"	56"	8"	U4W90IL4856		\$161
48"	64"	16"	U4W90IL4864		\$164
48"	72"	24"	U4W90IL4872		\$167
48"	80"	32"	U4W90IL4880		\$174
56"	64"	8"	U4W90IL5664		\$171
56"	72"	16"	U4W90IL5672		\$183
56"	80"	24"	U4W90IL5680		\$186
64"	72"	8"	U4W90IL6472		\$185
64"	80"	16"	U4W90IL6480		\$187
72"	80"	8"	U4W90IL7280		\$189

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


Select Basic Model

2 Select Trim Color









4-Way 90°, "X" Trim Two Sides, with Height Change

- Select for 90° three-way intersections of two perpendicular taller panels and two perpendicular lower panels
- Includes two-sided change of height trim, top cap, connecting blocks, light blocks, and connecting hardware

Α	В	B-A	BASIC MODEL	TRIM COLOR	NET PRICE
32"	40"	8"	U4W902W3240	00	\$87
32"	48"	16"	U4W902W3248		\$95
32"	56"	24"	U4W902W3256	00	\$103
32"	64"	32"	U4W902W3264		\$106
32"	72"	40"	U4W902W3272	00	\$114
32"	80"	48"	U4W902W3280		\$117
40"	48"	8"	U4W902W4048		\$101
40"	56"	16"	U4W902W4056		\$114
40"	64"	24"	U4W902W4064	00	\$117
40"	72"	32"	U4W902W4072		\$119
40"	80"	40"	U4W902W4080	00	\$129
48"	56"	8"	U4W902W4856		\$116
48"	64"	16"	U4W902W4864		\$119
48"	72"	24"	U4W902W4872	00	\$120
48"	80"	32"	U4W902W4880		\$130
56"	64"	8"	U4W902W5664		\$125
56"	72"	16"	U4W902W5672		\$132
56"	80"	24"	U4W902W5680		\$133
64"	72"	8"	U4W902W6472	00	\$135
64"	80"	16"	U4W902W6480	00	\$136
72"	80"	8"	U4W902W7280	00	\$138





HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


Select Basic Model

2 Select Trim Color









4-Way 90°, "X"	Trim Three Sides, with
Height Change	

- Select for 90° X four-way intersections of three taller panels and one lower panel
- Includes one change-of-height flat trim piece, top cap, connecting blocks, light blocks, and connecting hardware

Α	В	В-А	BASIC MODEL	TRIM COLOR		NET PRICE
32"	40"	8"	U4W903W3240	00		\$85
32"	48"	16"	U4W903W3248			\$101
32"	56"	24"	U4W903W3256			\$113
32"	64"	32"	U4W903W3264			\$114
32"	72"	40"	U4W903W3272			\$117
32"	80"	48"	U4W903W3280			\$119
40"	48"	8"	U4W903W4048			\$103
40"	56"	16"	U4W903W4056			\$116
40"	64"	24"	U4W903W4064			\$117
40"	72"	32"	U4W903W4072			\$120
40"	80"	40"	U4W903W4080			\$128
48"	56"	8"	U4W903W4856			\$117
48"	64"	16"	U4W903W4864			\$119
48"	72"	24"	U4W903W4872			\$122
48"	80"	32"	U4W903W4880			\$129
56"	64"	8"	U4W903W5664			\$120
56"	72"	16"	U4W903W5672			\$129
56"	80"	24"	U4W903W5680			\$130
64"	72"	8"	U4W903W6472			\$132
64"	80"	16"	U4W903W6480	00		\$133
72"	80"	8"	U4W903W7280			\$135





Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

Select Basic Model

2 Select Trim Color









2-Way 120°, "V" Corner, No	Height Change
----------------------------	---------------

- Select for 120° angled intersections of two same-height panels
- Includes 2-sided angle trim, 120° top cap, connecting blocks, light block and connecting hardware

	HEIGHT	BASIC MODEL	TRIM COLOR			NET PRICE
:	32"	U2W12032				\$205
	40"	U2W12040				\$263
	48"	U2W12048				\$271
	56"	U2W12056				\$282
	64"	U2W12064				\$284
	72"	U2W12072				\$319
	80"	U2W12080				\$322

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.


The absence of □ indicates that no choice is required

- 1 Select Basic Model
- 2 Select Trim Color
 Refer to Color Options









2-Way 120°, "V" Corner, With Height Change

- Select for 120° angled intersections of one taller and one lower panel
- Includes corner and change of height trim, 120° top cap, connecting blocks, light block, and connecting hardware

Α	В	В-А	BASIC MODEL	TRIM COLOR	NET PRICE
32"	40"	8″	U2W1201W3240	00	\$223
32"	48"	16"	U2W1201W3248		\$224
32"	56"	24"	U2W1201W3256		\$227
32"	64"	32"	U2W1201W3264		\$230
32"	72"	40"	U2W1201W3272		\$234
32"	80"	48"	U2W1201W3280		\$237
40"	48"	8"	U2W1201W4048		\$284
40"	56"	16"	U2W1201W4056		\$285
40"	64"	24"	U2W1201W4064		\$290
40"	72"	32"	U2W1201W4072		\$293
40"	80"	40"	U2W1201W4080		\$334
48"	56"	8"	U2W1201W4856		\$288
48"	64"	16"	U2W1201W4864		\$293
48"	72"	24"	U2W1201W4872		\$296
48"	80"	32"	U2W1201W4880		\$334
56"	64"	8"	U2W1201W5664		\$301
56"	72"	16"	U2W1201W5672		\$303
56"	80"	24"	U2W1201W5680		\$335
64"	72"	8"	U2W1201W6472		\$336
64"	80"	16"	U2W1201W6480		\$352
72"	80"	8"	U2W1201W7280		\$360





HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER




2 Select Trim Color









3-Way 120° Corner, No Height Change

- Select for 120° intersections of three same-height panels
- Includes 120° top cap, connecting blocks, light blocks and connecting hardware

HEIGHT	BASIC MODEL	TRIM COLOR			NET PRICE
32"	U3W12032				\$186
40"	U3W12040				\$243
48"	U3W12048				\$246
56"	U3W12056				\$260
64"	U3W12064				\$263
72"	U3W12072				\$315
80"	U3W12080				\$319

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


Select Basic Model

2 Select Trim Color









3-Way 120° Corner, Trim One Side, with Height Change

- Select for 120° three-way intersections of one taller and two lower panels
- Includes one flat trim piece, angled change of height trim, top cap, connecting blocks, light blocks, and connecting hardware

Α	В	В-А	BASIC MODEL	TRIM COLOR	NET PRICE
32"	40"	8"	U3W1201W3240		\$208
32"	48"	16"	U3W1201W3248		\$209
32"	56"	24"	U3W1201W3256		\$212
32"	64"	32"	U3W1201W3264		\$217
32"	72"	40"	U3W1201W3272		\$220
32"	80"	48"	U3W1201W3280		\$223
40"	48"	8"	U3W1201W4048		\$269
40"	56"	16"	U3W1201W4056		\$271
40"	64"	24"	U3W1201W4064		\$274
40"	72"	32"	U3W1201W4072		\$277
40"	80"	40"	U3W1201W4080		\$279
48"	56"	8"	U3W1201W4856		\$274
48"	64"	16"	U3W1201W4864		\$275
48"	72"	24"	U3W1201W4872		\$278
48"	80"	32"	U3W1201W4880		\$304
56"	64"	8"	U3W1201W5664		\$296
56"	72"	16"	U3W1201W5672		\$297
56"	80"	24"	U3W1201W5680		\$298
64"	72"	8"	U3W1201W6472		\$301
64"	80"	16"	U3W1201W6480		\$304
72"	80"	8"	U3W1201W7280		\$307





HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.


The absence of $\hfill\Box$ indicates that no choice is required

- Select Basic Model
- 2 Select Trim Color Refer to Color Options









3-Way 120° Corner, Trim Two Sides, with Height Change

- Select for 120° three-way intersections of two taller panels and one lower panel
- Includes one flat trim piece, top cap, connecting blocks, light blocks, and connecting hardware

Α	В	В-А	BASIC MODEL	TRIM COLOR	NET PRICE
32"	40"	8"	U3W1202W3240	00	\$253
32"	48"	16"	U3W1202W3248		\$303
32"	56"	24"	U3W1202W3256		\$310
32"	64"	32"	U3W1202W3264		\$313
32"	72"	40"	U3W1202W3272	00	\$366
32"	80"	48"	U3W1202W3280	00	\$369
40"	48"	8"	U3W1202W4048		\$306
40"	56"	16"	U3W1202W4056	00	\$358
40"	64"	24"	U3W1202W4064		\$366
40"	72"	32"	U3W1202W4072	00	\$373
40"	80"	40"	U3W1202W4080	00	\$402
48"	56"	8"	U3W1202W4856	00	\$366
48"	64"	16"	U3W1202W4864	00	\$369
48"	72"	24"	U3W1202W4872	00	\$377
48"	80"	32"	U3W1202W4880	00	\$405
56"	64"	8"	U3W1202W5664	00	\$373
56"	72"	16"	U3W1202W5672	00	\$380
56"	80"	24"	U3W1202W5680	00	\$408
64"	72"	8"	U3W1202W6472	00	\$388
64"	80"	16"	U3W1202W6480	00	\$409
72"	80"	8"	U3W1202W7280		\$434





HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


Select Basic Model

2 Select Trim Color









Adjustable Wall Mount Start

- Attaches panel to a wall at the start of a run
- Includes mounting plate
- Steel construction with painted finish
- Adjustable for up to 1" of wall deflection
- Appropriate wall anchor to drywall must be provided by contractor.

BASIC MODEL	TRIM COLOR			NET PRICE
UNWM16				\$76
UNWM32				\$87
UNWM40				\$90
UNWM48				\$93
UNWM56				\$95
UNWM64				\$104
UNWM72				\$138
UNWM80				\$151

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER



2 Select Trim Color







		WxHxD	BASIC MODEL	TRIM COLOR		ı	IET PRICE
	Wall Track	1-1/4" x 30" x 1"	UNWT30				\$17
	 Double slotted track accommodates wall mounting of overhead components and worksurfaces Steel construction with painted finish Appropriate wall anchor to drywall must be provided by contractor 	1-1/4" x 64 x 1"	UNWT64	00			\$27
	contractor						
·							
			0	2			

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

- Select Basic Model
- 2 Select Trim Color Refer to Color Options







	HEIGHT	BASIC MODEL	TOP CAP STYLE	TRIM COLOR	NET PRICE
90° 1-Way End Includes top cap, connecting hardware and light block Only used in 90° intersections when stacking one panel	16"	U1W90S16	F	00	\$66
 90° 2-Way Corner Includes top cap, connecting hardware and light block 	16"	U2W90S16	F	00	\$57
90° 3-Way Intersection • Includes top cap, connecting hardware and light block	16"	U3W90S16	F	00	\$56
90° 4-Way Intersection • Includes top cap, connecting hardware and light block	16"	U4W90S16	F	00	\$55
		0	0	•	

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.


The absence of $\hfill\Box$ indicates that no choice is required

- 1 Select Basic Model
- Select Top Cap Style F - Flat trim (std)
- **3 Select Trim Color** Refer to <u>Color Options</u>





180° 2-Way In-Line Spacer



180° 2-Way In-Line Spacer

 Includes two flat trim pieces, top cap, connecting hardware and light block

HEIGHT	BASIC MODEL	TOP CAP STYLE	TRIM COLOR		NET PRICE
16"	U2W180S16	F	00		\$95
	0	2	•		

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

- Select Basic Model
- Select Top Cap Style
 F Flat trim (std)
- 3 Select Trim Color Refer to Color Options





		HEIGHT	BASIC MODEL	TOP CAP STYLE	TRIM COLOR		NET PRICE
	 120° 1-Way End Includes top cap, and connecting hardware Only used in 120° intersections when stacking one panel 	16"	U1W120S16	F	00		\$78
1	120° 2-Way Corner • Includes top cap, connecting hardware and light block	16"	U2W120S16	F	00		\$183
	120° 3-Way Intersection • Includes top cap, connecting hardware and light block	16"	U3W120S16	F	00		\$180
	Includes top cap, connecting hardware and light block						
			0	9	•		

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.


The absence of $\hfill\Box$ indicates that no choice is required

- Select Basic Model
- 2 Select Top Cap Style F - Flat trim (std)
- 3 Select Trim Color Refer to Color Options





LEGION®



End-of-Run	Trim	for	Full	Panel	Height
Conditions					

- · Select by height for single panel
- For seamless end trim when stacking sections are used, specify by combined height of panel and stacker
- Includes trim end cap and hardware

HEIGHT	BASIC MODEL	TRIM COLOR			NET PRICE
32"	UEOR32	00			\$30
40"	UEOR40				\$33
48"	UEOR48				\$34
56"	UEOR56				\$37
64"	UEOR64				\$52
72"	UEOR72				\$79
80"	UEOR80				\$81

End-of-Run Trim	for Change of Height
Conditions	

- Height listed is the "height differential"
- Specify the distance between the upper panel height and the lower panel height
- Includes trim end cap and hardware

8"	UEORV08	00			\$24
16"	UEORV16				\$27
24"	UEORV24				\$28
32"	UEORV32				\$30
40"	UEORV40	00			\$33
48"	UEORV48				\$34

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Trim Color

Refer to <u>Color Options</u> Metallic finish not available.







		HEIGHT	MODEL	COLOR			NET PRICE
	End-of-Run Trim - Stacking Section • Additive vertical trim portion for placement directly above	16"	UEORS16				\$27
	a lower section of end of run trim Includes end cap						
N J							
U							
	End of Dun Tring Charles Continued	1.5"	UF001/46				407
	End-of-Run Trim - Stacking Section at Variable Height Condition	16″	UEORV16				\$27
	Additive stacking vertical trim for placement at end of run stacking section placed at a change of height location						
	 Trim is 1/2" shorter than end of run trim for stacking section (above), and rests on top of horizontal trim 						
	-						
			0	2			

BASIC

TRIM

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Trim Color Refer to Color Options

Metallic finish not available.





Overview

Legion Rolling Doors allow for simple privacy in workstation, and are offered with or without a jamb closure. Doors without a closing jamb simply over-lap the external corner of the closing panel intersection condition. Doors with jambs are shipped with a jamb post and a jamb rail (a receiver where the door can nest there by providing additional privacy).

Sizes

Rolling Doors are offered in the following sizes: 36" w x 64" H (monolithic door core)

36" w x 80" H (segmented door core) 42" w x 64" H (monolithic door core) 42" w x 80" H (segmented door core)

The width dimension provided indicates the nominal opening width that the door will span, and the actual door is oversized to allow for panel overlap. 64" high doors are constructed with a single aluminum frame. 80" high doors have a 16" high segmented top section to correspond to a 16" high Legion stacking section.

Panel Attachment

The panel to which a Rolling Door is attached must be specified at least 6" wider than the Rolling Door model (i.e. 36" W model with 42" W attaching panel),

which allows full extension of the door without interference into another panel or an adjacent walkway. This rule is not required if the attaching panel is a member of a panel run.

Door Height Options

80" high Rolling Doors feature a 16" segmented top frame. The top segment of the door is consistent with a 16" panel stacking section on the Legion panel. 64" Rolling Door models are monolithic and do not feature any segmentation.

Cores

Rolling doors are available with two optional core inserts that are designated as "clear" and "opal". The insert material is a horizontally fluted polycarbonate sheet. Both cores are semi-transparent and provide basic privacy while allowing light to penetrate into the office space. The opal core is less transparent than the clear.

Handedness of Models


All Rolling Door models are "non-handed". Wheel assemblies are packaged separately from the door for unilateral application. Jamb post assemblies are reversible for right or left side assembly.

Planning Options

Rolling doors can be ordered after a job site has been installed (reconfiguration) or space planned in advance of job site installation. If planned in advance, standard Legion intersections will be replaced with jamb post intersections. If a job site is reconfigured after installation, standard intersections must be removed and replaced with the appropriate iamb


post assembly. The exception is with the "no-jamb" condition which does not require a closing jamb intersection.

Plan View of Rolling Door Applications



Plan View of Rolling Door Applications
















	WxH	BASIC MODEL	CORE INSERT	TRIM COLOR	NET PRICE
Rolling Door - No Jamb Condition	44-3/8" x 63-15/16"	URDNJ3664	СР		\$694
 Includes door and attachment post Door extends beyond opening and overlaps Legion panel 	44-3/8" x 79-15/16"	URDNJ3680	СР		\$972
edge without jamb closure	50-3/8" x 63-15/16"	URDNJ4264	СР		\$709
 Door is non-handed and may be used in either right or left position 	50-3/8" x 79-15/16"	URDNJ4280	СР		\$994
64" models are monolithic; 80" models (shown at left)					
feature segmentation with trim at 64" • Polycarbonate core inserts feature horizontal fluting	44-3/8" x 63-15/16"	URDNJ3664	OP		\$782
pattern • Non-locking	44-3/8" x 79-15/16"	URDNJ3680	OP		\$1,045
 Actual door dimension extends 8" beyond its nominal 	50-3/8" x 63-15/16"	URDNJ4264	OP		\$804
door opening width Panel to which door attaches must be at least 6" wider	50-3/8" x 79-15/16"	URDNJ4280	OP		\$1,067
than nominal width of door; see Planning Guide for more details See General Information preceding these pages for all conditions in plan view					
Rolling Door - Building Wall Condition	44-3/8" x 63-15/16"	URDBW3664	СР		\$797
Includes door, attachment post and jamb rail Jamb rail attaches to building wall	44-3/8" x 79-15/16"	URDBW3680	СР		\$1,032
Door is non-handed and may be used in either right or	50-3/8" x 63-15/16"	URDBW4264	СР		\$811
left position • 64" models are monolithic; 80" models (shown at left)	50-3/8" x 79-15/16"	URDBW4280	СР		\$1,054
feature segmentation with trim at 64"					
 Polycarbonate core inserts feature horizontal fluting pattern 	44-3/8" x 63-15/16"	URDBW3664	OP		\$859
Non-locking Actual door dimension extends 10-3/4" beyond its	44-3/8" x 79-15/16"	URDBW3680	OP		\$1,089
nominal door opening width	50-3/8" x 63-15/16"	URDBW4264	OP		\$881
Panel to which door attaches must be at least 6" wider than nominal width of door; see Planning Guide for more	50-3/8" x 79-15/16"	URDBW4280	ОР	00	\$1,111
details See General Information preceding these pages for all conditions in plan view					

0

0

8

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Core Type (Plastic Fluted Core Insert) CP Fluted clear plastic core OP Fluted opal plastic core
- 3 Select Trim Color









Rolling Door - 180° In-Line Condition	44
 Includes door, attachment post and in-line door jamb Door is non-handed and may be used in either right or 	44
left position	50
 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64" 	50
 Polycarbonate core inserts feature horizontal fluting 	
pattern	

	reature segmentation with thin at 04
•	Polycarbonate core inserts feature horizontal fluting
	pattern
•	Non-locking
•	Actual door dimension extends 10-3/4" beyond its nominal door opening width
•	Panel to which door attaches must be at least 6" wider than nominal width of door; see Planning Guide for mo details
•	See General Information preceding these pages for all

WxH	MODEL MODEL	INSERT	COLOR		NET PRICE
44-3/8" x 63-15/16"	URD1803664	СР	00		\$921
44-3/8" x 79-15/16"	URD1803680	СР			\$1,205
50-3/8" x 63-15/16"	URD1804264	СР	00		\$935
50-3/8" x 79-15/16"	URD1804280	СР			\$1,227
44-3/8" x 63-15/16"	URD1803664	OP			\$1,008
44-3/8" x 79-15/16"	URD1803680	OP	00		\$1,278
50-3/8" x 63-15/16"	URD1804264	OP			\$1,030
50-3/8" x 79-15/16"	URD1804280	OP	00		\$1,300

R	olling Door - 90° Intersection Condition
•	Includes door, attachment post, and 90° intersection trim with jamb
•	Door is non-handed and may be used in either right or
	left position
•	64" models are monolithic; 80" models (shown at left)
	feature segmentation with trim at 64"
	Debrasile and a series of the

•	Polycarbonate core inserts feature horizontal fluting
	pattern

Non-locking

conditions in plan view

- Actual door dimension extends 10-3/4" beyond its nominal door opening width
- Panel to which door attaches must be at least 6" wider than nominal width of door; see Planning Guide for more
- See General Information preceding these pages for all conditions in plan view

44-3/8" x 63-15/16"	URD903664	СР		\$972
44-3/8" x 79-15/16"	URD903680	СР		\$1,271
50-3/8" x 63-15/16"	URD904264	СР		\$986
50-3/8" x 79-15/16"	URD904280	СР		\$1,293
44-3/8" x 63-15/16"	URD903664	OP		\$1,074
44-3/8" x 79-15/16"	URD903680	OP		\$1,330
50-3/8" x 63-15/16"	URD904264	OP		\$1,096
50-3/8" x 79-15/16"	URD904280	OP		\$1,352

0

0

8

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Core Type (Plastic Fluted Core Insert)
 - **CP** Fluted clear plastic core **OP** - Fluted opal plastic core
- 3 Select Trim Color







NET PRICE

\$972

\$1,753

\$2.250

\$1,775


\$2,286

\$1,907

\$2,359

\$1,943

\$2,396



- Polycarbonate core inserts feature horizontal fluting pattern
- Non-locking
- nominal door opening width

- Includes door, attachment post and 90° dead end jamb Door is non-handed and may be used in either right or left position
- 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"
- Actual door dimension extends 10-3/4" beyond its
- Panel to which door attaches must be at least 6" wider than nominal width of door; see Planning Guide for more details
- See General Information preceding these pages for all conditions in plan view

WxH

44-3/8" x 63-15/16"

44-3/8" x 63-15/16"

44-3/8" x 79-15/16"

50-3/8" x 63-15/16"


50-3/8" x 79-15/16"

44-3/8" x 63-15/16"

44-3/8" x 79-15/16"

50-3/8" x 63-15/16"

50-3/8" x 79-15/16"



TRIM

COLOR

CORE

INSERT

CP

CP

CP

CP

CP

OP

OP

OP

OP

- Includes two doors, two attachment posts, and double sided center jamb post
- 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"

- Actual door dimension extends 10-3/4" beyond its
- Panel to which door attaches must be at least 6" wider than nominal width of door; see Planning Guide for more

Rolling Door	Double Dead	End Condition
---------------------	-------------	----------------------

- Door is non-handed and may be used in either right or
- Polycarbonate core inserts feature horizontal fluting
- pattern
- Non-locking
- nominal door opening width
- See General Information preceding these pages for all conditions in plan view

0

BASIC

MODEL

URDDE3664

URDDDE3664

URDDDE3680

URDDDE4264

URDDDE4280

URDDDE3664

URDDDE3680

URDDDE4264

URDDDE4280





HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Core Type (Plastic Fluted Core Insert)
 - CP Fluted clear plastic core
 - OP Fluted opal plastic core
- 3 Select Trim Color









Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

2 Select Finish





,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			

- Thresholds are an accessory, designed as an option to assist door tracking
- · Continuous Threshold models are designed to be installed end to end
- Consult space plan for the required linear feet
- Threshold kits include two types of floor attachment (1) adhesive back hook pads that are effective on a variety of carpets or (2) double back foam tape pads that are effective on hard floors or hard pile carpet
- Includes one threshold and one aluminum end cap. End caps are not required at joints so only one end cap is included per model
- · Threshold is extruded aluminum with either black or clear silver anodize color option

LENGTH	MODEL	FINISH			NET PRICE
96-1/4"	URDTC				\$100
	0	2			

HOW TO BUILD A MODEL NUMBER

Indicate the following information on the order form:

1. Quantity of each item.

HOW TO ORDER

- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required



Select Basic Model

2 Select Finish


Refer to Color Options





BASIC





Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

Select Basic Model


4 - 4 Circuit

6 - 6 Circuit









Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.


The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER









Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER







		LENGTH	BASIC MODEL	TRIM COLOR			NET PRICE
	Base Infeed with Bezel for Raceway Base	72"	UET6RBFU				\$76
	- 6 Circuit • Infeed is non-handed						
	 Includes bezel with filler plate which can be removed to 						
<i>5</i> 20	accept "modular furniture knockouts" for data plates • For use with standard or tile to floor bases only						
	,						
	1						
	Base Infeed for Elevated Base - 6 Circuit • Infeed is non-handed	72"	UET6LBFU				\$158
	For use with elevated base only						
	 Infeed connects to rigid wireway at beltway 						
	•						

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

The □ indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- Select Basic Model
- 2 Select Trim Color

Refer to Color Options Metallic finish not available.






10-Wire System 6 Circuit "810"



Top Feed with 7-Foot Pole and Top Cap - 6 Circuit

- Topfeed must be specified by length of top cap
- For use at top of panel only
- When powered, infeed connects to either end of rigid wireway at base or beltway
- Does not occupy space for duplex receptacles
- Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered
- Infeed length 144" adds 14lbs to ship weight

PANEL WIDTH	BASIC MODEL	POWER OPTION	TRIM COLOR		NET PRICE
24"	UETF0724		00		\$183
30"	UETF0730				\$185
36"	UETF0736				\$186
42"	UETF0742				\$187
48"	UETF0748				\$189
54"	UETF0754				\$190
60"	UETF0760				\$190
72"	UETF0772				\$193



Top Feed with 10-Foot Pole and Top Cap - 6 Circuit

- · Topfeed must be specified by length of top cap
- · For use at top of panel only
- When powered, infeed connects to either end of rigid wireway at base or beltway
- Does not occupy space for duplex receptacles
- Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered
- Infeed length 216" adds 19lbs to ship weight

24"	UETF1024			\$227
30"	UETF1030			\$228
36"	UETF1036			\$230
42"	UETF1042			\$231
48"	UETF1048			\$231
54"	UETF1054			\$233
60"	UETF1060			\$234
72"	UETF1072			\$236

0

0

8

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Power
 - N No power
 - 4 442 power infeed
 - 6 622 power infeed
- 3 Select Trim Color

Refer to Color Options

Metallic finish not available.







NET PRICE

\$20


\$19

\$19

\$19

\$21

\$21



15 Amp Duplex Receptacle with Bezel for
Raceway Use - 6 Circuit
Constant and the consta

- Snaps to wireways of powered panels
- Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates
- Receptacle color matches bezel color for circuits 1, 2 and 3
 4I, 5I and 6I circuit receptacles are stamped with orange
- 4I, 5I and 6I circuit receptacles are stamped with orange triangle

zel for	
noved to	
or data	

FEATURES


Circuit 1

Circuit 1

Circuit 2


Circuit 3

Circuit 1



15 Amp Duplex Controlled Receptacle with Bezel for Raceway Use - 6 Circuit

- Marked receptacles are to be used with a customer supplied sensor or timer at the infeed to conserve energy
- Not for use for continuous power draw applications
- · Snaps to wireways of powered panels
- Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates
- Receptacle color matches bezel color



- Snaps to wireways of powered panels
- Receptacle includes one 20 amp simplex and one 15 amp simplex
- · Occupies space of one duplex receptacle
- Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates
- Receptacle color matches bezel color for circuits 1, 2 and 3
- 4I, 5I and 6I circuit receptacles are stamped with orange triangle

	Circui
np	Circui
	Circui
0	Circui
1	Circui

Circuit 2	UET6R20R-2	
Circuit 3	UET6R20R-3	
Circuit 4	UET6R20R-4I	
ircuit 5	UET6R20R-5I	
ircuit 6	UET6R20R-6I	

UET6R20R-1

BASIC

MODEL

UET6RRC-1


UET6RRC-1C

UET6RRC-2C

UET6RRC-3C

TRIM

COLOR







HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

2 Select Trim Color

Refer to <u>Color Options</u> Metallic finish not available.







NET PRICE

\$17 \$17

\$17

\$17

\$17

\$17

\$16

\$16

\$16

\$21


\$21

\$21

\$21

\$21

\$21



15 Amp Duplex	Recep	tacle	for Beltway
Use - 6 Circuit			

- Snaps to wireways of powered panels
- Receptacle color matches bezel color for circuits 1, 2 and 3
- 41, 51 and 61 circuit receptacles are stamped with orange triangle
- Bezel is pre-specified within beltway tile
- For use at beltway only: raceway receptacles are listed separately

FEATURES	MODEL	COLOR		
Circuit 1	UET6BRC-1	00		
Circuit 2	UET6BRC-2			
Circuit 3	UET6BRC-3			
Circuit 4	UET6BRC-4I			
Circuit 5	UET6BRC-5I			
Circuit 6	UET6BRC-6I			
Circuit 1	UET6BRC-1C			

TRIM

15 Amp Duplex Controlled Receptacle for **Beltway Use - 6 Circuit**

- · Marked receptacles are to be used with a customer supplied sensor or timer at the infeed to conserve energy
- Not for use for continuous power draw applications
- Snaps to wireways of powered panels
- Bezel is pre-specified within beltway tile
- For use at beltway only: raceway receptacles are listed separately

20 Amp Duplex Receptacle for Beltway Use - 6 Circuit

- Snaps to wireways of powered panels
- Receptacle includes one 20 amp simplex and one 15 amp
- 4I, 5I and 6I circuit receptacles are stamped with orange triangle
- · Bezel is pre-specified within beltway tile
- For use at beltway only: raceway receptacles are listed separately

Circuit 1	UET6B20R-1			
Circuit 2	UET6B20R-2			
Circuit 3	UET6B20R-3			
Circuit 4	UET6B20R-4I			
Circuit 5	UET6B20R-5I			
Circuit 6	UET6B20R-6I			



BASIC

UET6BRC-2C

UET6BRC-3C

FEATURES

Circuit 2

Circuit 3



HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model


2 Select Trim Color

Refer to Color Options Metallic finish not available.









IOW TO DOLL A WIODLE NO

Indicate the following information on the order form: 1. Quantity of each item.

2. Model Number, including options.
(See "How to Build a Model Number.")

3. Any special service required.

Note:

The \Box indicates that a choice is required.


The absence of □ indicates that no choice is required











Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.


The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER









Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER







LENGTH BASIC TRIM MODEL COLOR	NET PRICE
Base Infeed with Bezel for Raceway Base 72" UET4RBFU □□	\$76
- 4 Circuit	
 Infeed is non-handed Includes bezel with filler plate which can be removed to 	
accept "modular furniture knockouts" for data plates	
For use with standard or tile to floor bases only	
Base Infeed for Elevated Base - 4 Circuit 72" UET4LBFU • Infeed is non-handed	\$76
For use with elevated base only	
Infeed connects to rigid wireway at beltway	

0

0

BASIC

TRIM

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \square indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- Select Basic Model
- 2 Select Trim Color

Refer to <u>Color Options</u> Metallic finish not available.










Top Feed with 7-Foot Pole and Top Cap - 4 Circuit

- Topfeed must be specified by length of top cap
- For use at top of panel only
- When powered, infeed connects to either end of rigid wireway at base or beltway
- Does not occupy space for duplex receptacles
- Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered
- Infeed length 144" adds 14lbs to ship weight

PANEL WIDTH	BASIC MODEL	POWER OPTION	TRIM COLOR		NET PRICE
24"	UETF0724		00		\$183
30"	UETF0730				\$185
36"	UETF0736				\$186
42"	UETF0742				\$187
48"	UETF0748				\$189
54"	UETF0754				\$190
60"	UETF0760				\$190
72"	UETF0772				\$193



Top Feed with 10-Foot Pole and Top Cap - 4 Circuit

- Topfeed must be specified by length of top cap
- · For use at top of panel only
- When powered, infeed connects to either end of rigid wireway at base or beltway
- Does not occupy space for duplex receptacles
- Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered
- Infeed length 216" adds 19lbs to ship weight

24"	UETF1024	00		\$227
30"	UETF1030			\$228
36"	UETF1036			\$230
42"	UETF1042			\$231
48"	UETF1048			\$231
54"	UETF1054			\$233
60"	UETF1060			\$234
72"	UETF1072			\$236

0

0

3

0.375 in

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Power
 - N No power
 - 4 442 power infeed
 - 6 622 power infeed
- 3 Select Trim Color


Refer to Color Options

Metallic finish not available.









15 Amp Duplex Receptacle with Bezel for Raceway Use - 4 Circuit

- Snaps to wireways of powered panels
- Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates
- Receptacle color matches bezel color for circuits 1, and 2
- 3I and 4I circuit receptacles are stamped with orange triangle

FEATURES	MODEL	COLOR			NET PRICE
Circuit 1	UET4RRC-1				\$20
Circuit 2	UET4RRC-2				\$20
Circuit 3	UET4RRC-3I				\$20
Circuit 4	UET4RRC-4I				\$20

20 Amp Duplex Receptacle with Bezel for Raceway Use - 4 Circuit

- Snaps to wireways of powered panels
- Receptacle includes one 20 amp simplex and one 15 amp simplex
- Occupies space of one duplex receptacle
- Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates
- Receptacle color matches bezel color for circuits 1, and 2
- 4I circuit receptacles are stamped with orange triangle

Circuit 1	UET4R20R-1				\$21
Circuit 2	UET4R20R-2				\$21
Circuit 4	UET4R20R-4I	00			\$21

0

0

BASIC

TRIM



Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model


2 Select Trim Color

Refer to <u>Color Options</u> Metallic finish not available.










15 Amp Duplex Receptacle for Beltway Use - 4 Circuit

- · Snaps to wireways of powered panels
- Receptacle color is specified only for circuits 1, and 2
- 3I and 4I circuit receptacles are stamped with orange triangle.
- Bezel is pre-specified within beltway tile
- For use at beltway only: raceway receptacles are listed separately

FEATURES	MODEL MODEL	COLOR			NET PRICE
Circuit 1	UET4BRC-1	00			\$17
Circuit 2	UET4BRC-2				\$17
Circuit 3	UET4BRC-3I	00			\$17
Circuit 4	UET4BRC-4I				\$17



20 Amp Duplex Receptacle for Beltway Use - 4 Circuit

- Snaps to wireways of powered panels
- Receptacle includes one 20 amp simplex and one 15 amp simplex
- 4l circuit receptacles is stamped with orange triangle
- Bezel is pre-specified within beltway tile
- For use at beltway only: raceway receptacles are listed

Circuit 1	UET4B20R-1			\$21
Circuit 2	UET4B20R-2			\$21
Circuit 4	UET4B20R-4I			\$21

Ð

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Trim Color Refer to Color Options

Metallic finish not available.





NET PRICE

\$98

\$103

\$110

\$112

\$113

\$128


\$129

\$136

\$138

GROMMET

COLOR




BASIC

EDGE

GROMMET

SURFACE

EDGE



- 22" deep worksurfaces optimize alignment with U Series 22" storage elements
- Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"
- 60" and larger worksurfaces are reinforced
- Grommet locations are shown

22" x 24"	LGWR2224	74P	000	000		\$116
22" x 30"	LGWR2230	74P				\$120
22" x 36"	LGWR2236	74P	000	000		\$128
22" x 42"	LGWR2242	74P				\$130
22" x 48"	LGWR2248	74P	000	000		\$136
22" x 54"	LGWR2254	74P				\$152
22" x 60"	LGWR2260	74P	000	000		\$168
22" x 66"	LGWR2266	74P				\$176
22" x 72"	LGWR2272	74P	000	000		\$185
22" x 84"	LGWR2284	74P				\$201
22" x 96"	LGWR2296	74P	000	000		\$204

4

8

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Edge Style 74P - 74P edge

Select Grommet Location

N - No grommet

0

L - Grommet: Left; add \$16

C - Grommet: Center; add \$16 R - Grommet: Right; add \$16

LR - Grommet: Left/Right; add \$31

LC - Grommet: Left/Center; add \$31 CR - Grommet: Center/Right: add \$31

0

LCR - Grommet: Left/Center/Right; add \$45

4 Select Surface Finish

0

Surface finish offerings are based on edge style selections.

0

Refer to Color Options

Select Edge Color
Refer to Color Options

6 Select Grommet Color Refer to Color Options



LEGION®

NET PRICE

\$117

\$122

\$129

\$132

\$138

\$154

\$174

\$185

\$185

\$199

\$204

\$128

\$133

\$144

\$168

\$174

\$218

\$227

\$253

\$262

\$279

\$285

GROMMET


COLOR

ПП

ПΠ

ПП

0



Rectangu	lar Wor	ksurface	- 24" D
	1/		· C· 1

Rectangular Worksurface - 30" D

60" and larger worksurfaces are reinforced

Grommet locations are shown

· Brackets and/or supports are specified separately, two

required for 24"-72" and three required for larger than 72"

- Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 60" and larger worksurfaces are reinforced
- Grommet locations are shown

า ว 72"	24" >	k 30
	24" >	k 36
	24" >	4 2
	24" >	4 8
	24" >	5 4
	24" >	k 60
	24" >	k 66
	24" >	< 72
	24" \	, Q/


30" x 30"

30" x 84"

30" x 96"



AxB



BASIC

MODEL



EDGE

STYLE

74P

GROMMET

LOCATION

SURFACE

FINISH

ппп

EDGE

COLOR

LGWR2460 74P

LGWR2466 74P **LGWR2472** 74P

24" x 84" **LGWR2484** 74P

24" x 96"

LGWR2496

74P 30" x 24"

LGWR3024 74P 74P

LGWR3030 74P

30" x 36" LGWR3036 30" x 42" LGWR3042 74P 74P

30" x 48" **LGWR3048** 30" x 54" LGWR3054

30" x 60" LGWR3060 30" x 66" **LGWR3066** 30" x 72"

LGWR3072 LGWR3084 LGWR3096

0

74P 0

74P

74P

74P

74P

74P

8

4

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of \square indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Edge Style 74P - 74P edge

3 Select Grommet Location

N - No grommet

L - Grommet: Left; add \$16

C - Grommet: Center; add \$16 R - Grommet: Right; add \$16

LR - Grommet: Left/Right; add \$31 LC - Grommet: Left/Center; add \$31

CR - Grommet: Center/Right: add \$31

LCR - Grommet: Left/Center/Right; add \$45

4 Select Surface Finish

Surface finish offerings are based on edge style selections.

Refer to Color Options

Select Edge Color Refer to Color Options

6 Select Grommet Color

Refer to Color Options





		AxBxCxD	BASIC MODEL	EDGE STYLE	GROMMET LOCATION	SURFACE FINISH	EDGE COLOR	GROMMET COLOR	NET PRICE
├──_C──	Diagonal 90° Corner - 18" D	18" x 36" x 36" x 18"	LGWDC18363618	74P					\$227
D	 Brackets and/or supports are specified separately, three required 	18" x 42" x 42" x 18"	LGWDC18424218	74P	000	000			\$234
	 Grommet options are limited to center (corner) or no 	18" x 48" x 48" x 18"	LGWDC18484818	74P					\$278
B	grommet								
——A——									
C	Diagonal 90° Corner - 22" D	22" x 36" x 36" x 22"	LGWDC22363622	74P					\$227
D	 Brackets and/or supports are specified separately, three required 	22" x 42" x 42" x 22"	LGWDC22424222	74P					\$234
	 Grommet options are limited to center (corner) or no 	22" x 48" x 48" x 22"	LGWDC22484822	74P	000				\$278
	grommet								
	B								
A									
C	Diagonal 90° Corner - 24" D • Brackets and/or supports are specified separately, three	24" x 36" x 36" x 24"	LGWDC24363624	74P	000				\$227
	required	24" x 42" x 42" x 24"	LGWDC24424224	74P	000				\$234
	 Grommet options are limited to center (corner) or no grommet 	24" x 48" x 48" x 24"	LGWDC24484824	74P	000				\$278
B	gronniet								
TVI(VE/IS/									
⊢—A——									
			0	0	•	4	6	6	

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Edge Style **74P** - 74P edge

- Select Grommet Location
 - N No grommet
 - C Grommet: Center; add \$16

4 Select Surface Finish

Surface finish offerings are based on edge style selections.

Refer to Color Options

- **5** Select Edge Color Refer to Color Options
- 6 Select Grommet Color Refer to Color Options







		AxBxCxD	BASIC MODEL	EDGE STYLE	GROMMET LOCATION	SURFACE FINISH	EDGE COLOR	GROMMET COLOR	NET PRICE
	Extended Corner - 22" D	22" x 60" x 36" x 22"	LGWEC22603622	74P					\$269
	 Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" 	22" x 72" x 36" x 22"	LGWEC22723622	74P	000	000	000		\$279
	60" and larger worksurfaces are reinforced								
	Grommet locations are shown								
	Extended Corner - 24" D	24" x 60" x 36" x 24"	LGWEC24603624	74P	000				\$269
re - 60	 Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" 	24" x 72" x 36" x 24"	LGWEC24723624	74P	000	000		00	\$279
	60" and larger worksurfaces are reinforced Grommet locations are shown								
	Groffinet locations are shown								
· ·									
	Extended Corner - 22" D • Brackets and/or supports are specified separately, two	22" x 36" x 60" x 22"	LGWEC22366022	74P	000				\$269
	required for 24"-72" and three required for larger than 72"	22" x 36" x 72" x 22"	LGWEC22367222	74P	000				\$279
	 60" and larger worksurfaces are reinforced Grommet locations are shown 								
8									
× ×	Extended Corner - 24" D	24" x 36" x 60" x 24"	LGWEC24366024	74P	000	000		00	\$269
	 Brackets and/or supports are specified separately, two 	24" x 36" x 72" x 24"	LGWEC24367224	74P	000	000	000	00	\$279
		21 X30 X72 X21		,					Ψ2.0
			0	9	8	4	6	6	

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Edge Style **74P** - 74P edge

Select Grommet Location

N - No grommet

L - Grommet: Left; add \$16

C - Grommet: Center; add \$16

R - Grommet: Right; add \$16

LR - Grommet: Left/Right; add \$31 LC - Grommet: Left/Center; add \$31

CR - Grommet: Center/Right; add \$31

LCR - Grommet: Left/Center/Right; add \$45

4 Select Surface Finish

Surface finish offerings are based on edge style selections.

Refer to Color Options

5 Select Edge Color Refer to Color Options


6 Select Grommet Color

Refer to Color Options









Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

2 Select Edge Style 74P - 74P edge 3 Select Grommet Location

N - No grommet

L - Grommet: Left; add \$4 C - Grommet: Center; add \$4

R - Grommet: Right; add \$4

LR - Grommet: Left/Right; add \$8 LC - Grommet: Left/Center; add \$8

CR - Grommet: Center/Right; add \$8 LCR - Grommet: Left/Center/Right; add \$12 4 Select Surface Finish

Surface finish offerings are based on edge style selections.

Refer to Color Options

5 Select Edge Color Refer to Color Options

6 Select Grommet Color Refer to Color Options








Conference	End
------------	-----

 Brackets and/or supports are specified separately; requires two brackets and two post legs or two worksurface support legs

Grommet locations are shown



АхВ	BASIC MODEL	EDGE STYLE	GROMMET LOCATION	SURFACE FINISH	EDGE COLOR	GROMMET COLOR	NET PRICE
24" x 51"	LGWCE2451	74P	000	000	000	00	\$163
30" x 63"	LGWCE3063	74P					\$208
	1	2	8	0	6	6	

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Edge Style 74P - 74P edge

- 3 Select Grommet Location
 - N No grommet
 - C Grommet: Center; add \$16

4 Select Surface Finish

Surface finish offerings are based on edge style selections.

Refer to Color Options

- **5** Select Edge Color Refer to Color Options
- **6** Select Grommet Color

Refer to Color Options





		АхВхС	BASIC MODEL	EDGE STYLE	GROMMET LOCATION	SURFACE FINISH	EDGE COLOR	GROMMET COLOR	NET PRICE
	Tapered - 22"	22" x 48" x 30"	LGWT224830	74P	000	000	000	00	\$180
	Tapered worksurfaces allow user to face out of the workstation	22" x 60" x 30"	LGWT226030	74P					\$240
	22" tapered worksurfaces align with U-Series tower	22" x 72" x 30"	LGWT227230	74P					\$265
S.	depths • Brackets and/or supports are specified separately, two	30" x 48" x 22"	LGWT304822	74P	000	000		00	\$180
% /**\.	required for 24"-72" and three required for larger than 72" 60" and larger worksurfaces are reinforced	30" x 60" x 22"	LGWT306022	74P	000	000	000		\$240
	Grommet locations are shown	30" x 72" x 22"	LGWT307222	74P	000	000			\$265
	Tapered - 24"	24" x 48" x 30"	LGWT244830	74P	000				\$180
	Tapered worksurfaces allow user to face out of the workstation	24" x 60" x 30"	LGWT246030	74P					\$180
	 Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" 60" and larger worksurfaces are reinforced 	24" x 72" x 30"	LGWT247230	74P	000	000	000		\$240
		30" x 48" x 24"	LGWT304824	74P	000	000	000	00	\$240
		30" x 60" x 24"	LGWT306024	74P	000	000	000		\$265
		30" x 72" x 24"	LGWT307224	74P	000	000	000	00	\$265

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Edge Style 74P - 74P edge

- **3** Select Grommet Location
 - N No grommet

0

- L Grommet: Left; add \$16
- C Grommet: Center; add \$16
- R Grommet: Right; add \$16
- LR Grommet: Left/Right; add \$31
- LC Grommet: Left/Center; add \$31

0

8

4

- CR Grommet: Center/Right; add \$31
- LCR Grommet: Left/Center/Right; add \$45

- 4 Select Surface Finish
 - Surface finish offerings are based on edge style selections.

0

Refer to Color Options

6

- _
- **5** Select Edge Color Refer to Color Options
- 6 Select Grommet Color Refer to Color Options







GROMMET

		AxBxCxD	MODEL	STYLE	LOCATION	FINISH	COLOR	COLOR	NET PRICE
	Peninsula - 22"	16" x 48" x 72" x 22"	LGWP16487222	74P	000				\$301
	Peninsula worksurfaces allow user to face out of the workstation	16" x 54" x 72" x 22"	LGWP16547222	74P	000	000			\$301
	 22" worksurfaces align with U-Series tower depths 	16" x 60" x 72" x 22"	LGWP16607222	74P					\$320
	 Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" 60" and larger worksurfaces are reinforced Grommet locations are shown 								
	Peninsula - 24"	16" x 48" x 72" x 24"	LGWP16487224	74P	000	000			\$320
	 Peninsula worksurfaces allow user to face out of the workstation 	16" x 54" x 72" x 24"	LGWP16547224	74P	000			00	\$332
	 Brackets and/or supports are specified separately, two 	16" x 60" x 72" x 24"	LGWP16607224	74P					\$332
	required for 24"-72" and three required for larger than 72" 60" and larger worksurfaces are reinforced Grommet locations are shown								
>×	Peninsula - 22"	22" x 72" x 48" x 16"	LGWP22724816	74P	000		000		\$301
	Peninsula worksurfaces allow user to face out of the workstation 22" worksurfaces align with U-Series tower depths	22" x 72" x 54" x 16"	LGWP22725416	74P	000		000		\$320
		22" x 72" x 60" x 16"	LGWP22726016	74P					\$332
	Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" 60" and larger worksurfaces are reinforced Grommet locations are shown								
<i>></i> _	Peninsula - 24"	24" x 72" x 48" x 16"	LGWP24724816	74P	000	000	000		\$301
	 Peninsula worksurfaces allow user to face out of the workstation 	24" x 72" x 54" x 16"	LGWP24725416	74P					\$320
	Brackets and/or supports are specified separately, two	24" x 72" x 60" x 16"	LGWP24726016	74P	000				\$332
	required for 24"-72" and three required for larger than 72" 60" and larger worksurfaces are reinforced Grommet locations are shown								
>**			0	0	•	4	6	6	

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

Select Basic Model

2 Select Edge Style 74P - 74P edge **3** Select Grommet Location

BASIC

EDGE

GROMMET

SURFACE

EDGE

N - No grommet

L - Grommet: Left; add \$16 C - Grommet: Center; add \$16

R - Grommet: Right; add \$16

LR - Grommet: Left/Right; add \$31 LC - Grommet: Left/Center; add \$31 CR - Grommet: Center/Right; add \$31

LCR - Grommet: Left/Center/Right; add \$45

*Grommets sold separtately

4 Select Surface Finish

Surface finish offerings are based on edge style selections.

Refer to Color Options

Select Edge Color
Refer to Color Options

6 Select Grommet Color Refer to Color Options







		A x B x C x D	BASIC MODEL	EDGE STYLE	GROMMET LOCATION	SURFACE FINISH	EDGE COLOR	GROMMET COLOR	NET PRICE
STORY	120° End Corner/60° User Edge - 22"	22" x 36" x 36" x 22"	LGW12022363622	74P	000	000	000		\$250
	 Brackets and/or supports are specified separately, two required 	22" x 42" x 42" x 22"	LGW12022424222	74P	000				\$285
	Grommet locations are shown	22" x 48" x 48" x 22"	LGW12022484822	74P	000				\$290
	120° End Corner/60° User Edge - 24"	24" x 36" x 36" x 24"	LGW12024363624	74P	000	000	000		\$250
	 Brackets and/or supports are specified separately, two required 	24" x 42" x 42" x 24"	LGW12024424224	74P	000	000	000		\$285
	Grommet locations are shown	24" x 48" x 48" x 24"	LGW12024484824	74P	000		000		\$290
	120° End Corner/90° User Edge - 22"	22" x 36" x 36" x 22"	LGWIC12022363622	74P	000	000	000		\$247
D	Brackets and/or supports are specified separately, two required	22" x 42" x 42" x 22"	LGWIC12022424222	74P	000	000	000		\$269
	Grommet locations are shown	22" x 48" x 48" x 22"	LGWIC12022484822	74P	000				\$297
-C	120° End Corner/90° User Edge - 24"	24" x 36" x 36" x 24"	LGWIC12024363624	74P	000	000	000		\$247
D	 Brackets and/or supports are specified separately, two required 	24" x 42" x 42" x 24"	LGWIC12024424224	74P	000	000	000		\$269
	Grommet locations are shown	24" x 48" x 48" x 24"	LGWIC12024484824	74P	000		000		\$297
			0	9	8	4	6	6	

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

Select Basic Model

2 Select Edge Style 74P - 74P edge **3** Select Grommet Location

N - No grommet

L - Grommet: Left; add \$16

C - Grommet: Center; add \$16 R - Grommet: Right; add \$16

LR - Grommet: Left/Right; add \$31 LC - Grommet: Left/Center; add \$31

CR - Grommet: Center/Right; add \$31 LCR - Grommet: Left/Center/Right; add \$45 4 Select Surface Finish

Surface finish offerings are based on edge style selections.

Refer to Color Options

Select Edge Color
Refer to Color Options

6 Select Grommet Color Refer to Color Options








60° End Corner - 22" an	60° End	Corner -	- 22"	and	24"
-------------------------	---------	----------	-------	-----	-----

- Attaches to adjacent worksurface with splice plates (ordered separately)
- Does not feature grommets



AxB	BASIC MODEL	EDGE STYLE	SURFACE FINISH	EDGE COLOR	NET PRICE
22" x 22"	LGW1202260	74P	000	000	\$128
24" x 24"	LGW1202460	74P			\$139
	0	0	8	4	

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Edge Style 74P - 74P edge

3 Select Surface Finish

Surface finish offerings are based on edge style selections.
Refer to Color Options

4 Select Edge Color Refer to Color Options Splice Plates are specified seperately Refer to Splice Plates





NET PRICE

\$221

\$240

\$265

\$290

\$305

\$317

\$358 \$403 \$451 \$529 \$563


\$525

\$573

\$604

6

4



Straight	Countertops,	Stand	lard l	Hei	ght
	بالمداد والمراب والمراب والمراب والمراب		1 1	-1.:	1:

- Includes cantilever support brackets and locking clips to prevent dislodgement
- Notch is required when transaction counter is adjacent to end of run trim for change of height conditions
- Countertops accept task lights
- Transaction counters add 1-1/4" to finished panel heights
- Optional UWTR available with worksurface (select edge style, surface finish and edge color)

D x W	BASIC MODEL	EDGE STYLE	NOTCH LOCATION	TRIM COLOR	BRACKET COLOR	
16" x 24"	LWTR1624	74P	000			
16" x 30"	LWTR1630	74P				
16" x 36"	LWTR1636	74P	000			
16" x 42"	LWTR1642	74P				
16" x 48"	LWTR1648	74P				
16" x 54"	LWTR1654	74P	000			
16" x 60"	LWTR1660	74P				
16" x 66"	LWTR1666	74P				
16" x 72"	LWTR1672	74P	000			
16" x 78"	LWTR1678	74P				
16" x 84"	LWTR1684	74P	000			
16" x 24"	LWTRC1624	74P	000			
16" x 30"	LWTRC1630	74P				

8

Corner Countertops, Standard Height

- Includes cantilever support brackets and locking clips to prevent dislodgement
- Notch is required when transaction counter is adjacent to end of run trim for change of height conditions
- Countertops accept task lights
- Transaction counters add 1-1/4" to finished panel heights
- Optional UWTR available with worksurface (select edge style, surface finish and edge color)

<u> </u>	

notch locations shown

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

16" x 36"

- 1 Select Basic Model
- 2 Select Edge Style 74P - 74P edge
- 3 Select Notch Location

NN - No Notch LN - Left Notch RN - Right Notch LRN - Left & Right Notch 4 Select Trim Color

0

LWTRC1636

74P


0

Refer to <u>Color Options</u> Metallic finish not available.

5 Select Bracket Color Refer to Color Options







Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Edge Style 74P - 74P edge
- 3 Select Notch Location

NN - No Notch LN - Left Notch RN - Right Notch LRN - Left & Right Notch 4 Select Trim Color

Refer to <u>Color Options</u> Metallic finish not available.

Select Bracket ColorRefer to Color Options





\$448

\$558

\$593

\$504

\$596

\$670

\$654


\$734

\$733

\$692

\$798

\$816



HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Edge Style **74P** - 74P edge
- Select Frame Color Refer to Color Options Metallic finish not available.

- 4 Select Insert Type PS - Perforated steel
- Select Insert Color Refer to Color Options Metallic finish not available.

- 6 Select Surface Finish Refer to Color Options Metallic finish not available.
- Select Edge Color Refer to Color Options Metallic finish not available.







		MODEL	COLOR			NET PRICE
	Standard Cantilever Bracket	UCANTST-R	00			\$11
A Co	Left orientation shown in image	UCANTST-L				\$11
3	>					
	Design Bracket - Worksurface Support	UCANTD12-R				\$34
	Bracket	UCANTD12-L	00			\$34
	 For 18" deep worksurface support only; may not be used in conjunction with overheads 					
	Left orientation shown in image					
40						
	>					
	Worksurface Edge Support with Lock Optional support tying worksurface edge in to adjacent	UWSES-R				\$16
	panel frame	UWSES-L				\$16
	Left orientation shown in image					
Ġ /						
7						
4						

0

0

BASIC

TRIM

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- Select Basic Model
- 2 Select Trim Color

Refer to <u>Color Options</u> Metallic finish not available.









Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required








•
/

Height Change Filler Plate for In-Line

- Use when adapting heights of in-line worksurface conditions
- Specify by worksurface depth
- Edge style refers to worksurface that support is being attached to
- Filler plate is intended for use between 26" and 29" worksurface heights, resulting gap between surfaces is 1-7/8"

18" UCFPI18 74P □ \$21 22" UCFPI22 74P □ \$24	•
22" UCFPI22 74P \Box \$24	
24" UCFPI24 74P $\Box\Box$ \$24	
30" UCFPI30 74P □□ \$25	



Height Change Filler Plate for Corner

- Use when adapting heights of in-line worksurface conditions
- · Specify by worksurface depth
- Edge style refers to worksurface that support is being attached to
- Filler plate is intended for use between 26" and 29" worksurface heights, resulting gap between surfaces is 1-7/8"

18"	UCFPC18	74P	00		\$34
22"	UCFPC22	74P			\$35
24"	UCFPC24	74P	00		\$36
30"	UCFPC30	74P			\$37

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Edge Style 74P - 74P edge
- 3 Select Trim Color Refer to Color Options Metallic finish not available.







	HEIGHT	BASIC MODEL	FRAME COLOR			NET PRICE
Post Leg Assembly - 27-3/4" Height • Supports standard 29" height worksurfaces	27-3/4"	UPL29	00			\$34
Post Leg Assembly - 24-3/4" Height • Supports 26" height worksurfaces	24-3/4"	UPL26				\$32
		0	2			

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- Select Basic Model
- 2 Select Frame Color Refer to Color Options

Metallic finish not available.









Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Edge Style 74P - 74P edge
- 3 Select Frame Color Refer to Color Options Metallic finish not available.









	WxH	BASIC MODEL	EDGE STYLE	FRAME COLOR	INSERT TYPE	INSERT COLOR	NET PRICE
3/4" Height	18" x 27-3/4"	UPNLI1829	74P		PS		\$155
panel attachment 29" perpendicular worksurface	22" x 27-3/4"	UPNLI2229	74P		PS	000	\$163
d steel insert	24" x 27-3/4"	UPNLI2429	74P		PS	000	\$170
orksurface depth plor is specified separately from frame	30" x 27-3/4"	UPNLI3029	74P		PS		\$182
worksurface that support is being							
worksurface that support is being							
3/4" Height	18" x 24-3/4"	UPNLI1826	74P		PS		\$154
panel attachment 26" perpendicular worksurface	22" x 24-3/4"	UPNLI2226	74P		PS		\$157
d steel insert	24" x 24-3/4"	UPNLI2426	74P		PS		\$168
orksurface depth olor is specified separately from frame	30" x 24-3/4"	UPNLI3026	74P		PS		\$180
worksurface that support is being							
worksurface that support is being							

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Edge Style 74P - 74P edge
- 3 Select Frame Color
 Refer to Color Options
 Metallic finish not available.

4 Select Insert Type PS - Perforated steel

0

5 Select Insert Color Refer to Color Options

0

8


4

6









Open Le	g - 27-3	/4" Hei	ght
---------	----------	---------	-----

- Features bracketry to attach to panel frame
- · Left orientation shown in image
- Specify width by worksurface depth
- Edge style refers to worksurface that support is being attached to

W x H	BASIC MODEL	LEFT OR RIGHT SIDE	EDGE STYLE	FRAME COLOR		NET PRICE
18" x 27-3/4"	UPSLO1829		74P	00		\$97
22" x 27-3/4"	UPSLO2229		74P			\$100
24" x 27-3/4"	UPSLO2429		74P			\$103
30" x 27-3/4"	UPSLO3029		74P			\$112
48" x 27-3/4"	UPSLO4829		74P	00		\$169
54" x 27-3/4"	UPSLO5429		74P			\$171
60" x 27-3/4"	UPSLO6029		74P	00		\$172
72" x 27-3/4"	UPSLO7229		74P			\$189

Open Leg - 24-3/4" Height

- · Features bracketry to attach to panel frame
- · Left orientation shown in image
- · Specify width by worksurface depth
- Edge style refers to worksurface that support is being attached to

18" x 24-3/4"	UPSLO1826	74P	00		\$96
22" x 24-3/4"	UPSLO2226	74P			\$99
24" x 24-3/4"	UPSLO2426	74P	00		\$102
30" x 24-3/4"	UPSLO3026	74P			\$111
48" x 24-3/4"	UPSLO4826	74P	00		\$168
54" x 24-3/4"	UPSLO5426	74P			\$170
60" x 24-3/4"	UPSLO6026	74P			\$171
72" x 24-3/4"	UPSLO7226	74P			\$183

0

0

8

4

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Orientation
 - L Left
 - R Right
- 3 Select Edge Style 74P - 74P edge


4 Select Frame Color

Refer to <u>Color Options</u> Metallic finish not available.









Insert L	eg - 27-3	/4" Height
----------	-----------	------------

- Features bracketry to attach to panel frame
- · Left orientation shown in image
- Specify width by worksurface depth
- Edge style refers to worksurface that support is being attached to

WxH	BASIC MODEL	LEFT OR RIGHT SIDE	EDGE STYLE	FRAME COLOR	INSERT TYPE	INSERT COLOR	NET PRICE
18" x 27-3/4"	UPSLI1829		74P	00	PS		\$155
22" x 27-3/4"	UPSLI2229		74P		PS		\$160
24" x 27-3/4"	UPSLI2429		74P		PS		\$174
30" x 27-3/4"	UPSLI3029		74P		PS		\$188
48" x 27-3/4"	UPSLI4829		74P		PS		\$323
54" x 27-3/4"	UPSLI5429		74P		PS		\$327
60" x 27-3/4"	UPSLI6029		74P	00	PS		\$332
72" x 27-3/4"	UPSLI7229		74P		PS		\$361

Insert Leg - 24-3/4" Height

- Features bracketry to attach to panel frame
- · Left orientation shown in image
- · Specify width by worksurface depth
- Edge style refers to worksurface that support is being attached to

18"	x 24-3/4"	UPSLI1826	74P	00	PS	00	\$154
22"	x 24-3/4"	UPSLI2226	74P		PS		\$158
24"	x 24-3/4"	UPSLI2426	74P	00	PS	00	\$172
30"	x 24-3/4"	UPSLI3026	74P		PS		\$186
48"	x 24-3/4"	UPSLI4826	74P	00	PS	00	\$321
54"	x 24-3/4"	UPSLI5426	74P		PS		\$326
60"	x 24-3/4"	UPSLI6026	74P	00	PS		\$330
72"	x 24-3/4"	UPSLI7226	74P		PS		\$359

0 0 0 0 0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Orientation
 - L Left
 - **R** Right
- Select Edge Style 74P - 74P edge

4 Select Frame Color


Refer to Color Options
Metallic finish not available.

- Select Insert Type
 PS Perforated steel
- 6 Select Insert Color Refer to Color Options









C	enter Leg (Open) - 27-3/4" Height
•	Leg is non-handed and attaches to panel frame between
	joining worksurfaces
•	Right and left selection indicate location of the locking

bracket for preferred installation access. Teeth engage one vertical row of bracket slots and cover the adjacent row

Specify leg width by worksurface depth

Edge style refers to worksurface that support is being attached to

WxH	BASIC MODEL	LEFT OR RIGHT SIDE	EDGE STYLE	FRAME COLOR		NET PRICE
18" x 27-3/4"	UPSLC1829		74P	00		\$111
22" x 27-3/4"	UPSLC2229		74P			\$114
24" x 27-3/4"	UPSLC2429		74P			\$117
30" x 27-3/4"	UPSLC3029		74P			\$126

Center Leg (Open) - 24-3/4" Height

- · Leg is non-handed and attaches to panel frame between joining worksurfaces
- Right and left selection indicate location of the locking bracket for preferred installation access. Teeth engage one vertical row of bracket slots and cover the adjacent row
- Specify leg width by worksurface depth
- Edge style refers to worksurface that support is being attached to

18" x 24-3/4"	UPSLC1826	74P		\$109
22" x 24-3/4"	UPSLC2226	74P		\$112
24" x 24-3/4"	UPSLC2426	74P		\$116
30" x 24-3/4"	UPSLC3026	74P		\$125

4

0 8

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- 1 Select Basic Model
- 2 Select Orientation
 - L Left
 - R Right
- 3 Select Edge Style **74P** - 74P edge

4 Select Frame Color

Refer to Color Options Metallic finish not available.







	WxHxD	BASIC MODEL	PAINT COLOR	KEY OPTION	NET PRICE
ule	24" x 16-1/2" x 14-1/2"	PRDS24-UN-PM			\$256
	30" x 16-1/2" x 14-1/2"	PRDS30-UN-PM			\$274
	36" x 16-1/2" x 14-1/2"	PRDS36-UN-PM		00	\$291
	42" x 16-1/2" x 14-1/2"	PRDS42-UN-PM			\$304
	48" x 16-1/2" x 14-1/2"	PRDS48-UN-PM		00	\$323
	60" x 16-1/2" x 14-1/2"	PRDS60-UN-PM		00	\$399
				00	
	24" x 16-1/2" x 14-1/2"	PRDS24-UN-LB			\$293
	30" x 16-1/2" x 14-1/2"	PRDS30-UN-LB			\$315
	36" x 16-1/2" x 14-1/2"	PRDS36-UN-LB			\$323
	42" x 16-1/2" x 14-1/2"	PRDS42-UN-LB			\$336
	48" x 16-1/2" x 14-1/2"	PRDS48-UN-LB			\$350
	60" x 16-1/2" x 14-1/2"	PRDS60-UN-LB			\$428
:	24" x 16-1/2" x 14-1/2"	PRDS24-UN-UM			\$310
ead	30" x 16-1/2" x 14-1/2"	PRDS30-UN-UM			\$332
ead	36" x 16-1/2" x 14-1/2"	PRDS36-UN-UM			\$341
	42" x 16-1/2" x 14-1/2"	PRDS42-UN-UM			\$354
	48" x 16-1/2" x 14-1/2"	PRDS48-UN-UM			\$367
	60" x 16-1/2" x 14-1/2"	PRDS60-UN-UM			\$446

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Paint Color
 Refer to Color Options
 Metallic paint requires up-charge.
- 3 Select Key Option
 - KA- Key alike KS - Key standard

Information

Steel bottom, top shelf and end panels with powder-coated finish accepts shelf divider.

Door stores recessed with handle exposed.

Single bit lock is included.

Shelf depth is 13-1/4".

8





NET PRICE

\$318

\$340

\$354

\$376

\$398

\$483

\$362

\$376

\$391

\$405

\$420

\$500

\$372


\$394

\$403

\$416

\$429

\$508



Fabric Door Overhead Cabinet - On-Module

- On-Module overheads (PM Panel Mount) mount into slots in vertical posts
- Overheads must be same width as panel mounted to; allows for vertical adjustment in 1" increments
- Shelf divider (NSD) available in Accessories Price List

	MODEL	COLOR	COLOR	OPTIO
24" x 16-1/2" x 14-1/2"	PRDF24-UN-PM	00	0000	
30" x 16-1/2" x 14-1/2"	PRDF30-UN-PM			
36" x 16-1/2" x 14-1/2"	PRDF36-UN-PM	00	0000	
42" x 16-1/2" x 14-1/2"	PRDF42-UN-PM		0000	
48" x 16-1/2" x 14-1/2"	PRDF48-UN-PM	00	0000	
60" x 16-1/2" x 14-1/2"	PRDF60-UN-PM			

PAINT

ПП

FABRIC

Fabric Door Overhead Cabinet - Load

- · Load Bar mount overheads (LB) hang from extern mounted load bar
- Load Bar available in Accessories Price List

and 29" high worksurface is 18.85"

and 29" high worksurface is 26.85"

Shelf divider (NSD) available in Accessories Price

• On a 48" panel, clearance between the Universal overhead

Shelf divider (NSD) available in Accessories Price List

d Bar	24" x 16-1/2" x 14-1/2"
	30" x 16-1/2" x 14-1/2"
nally	36" x 16-1/2" x 14-1/2"
	42" x 16-1/2" x 14-1/2"
List	48" x 16-1/2" x 14-1/2"
	60" x 16-1/2" x 14-1/2"

" x 16-1/2" x 14-1/2" PRDF24-UN-LB " x 16-1/2" x 14-1/2" PRDF30-UN-LB

WxHxD

36" x 16-1/2" x 14-1/2"	
12" x 16-1/2" x 14-1/2"	
48" x 16-1/2" x 14-1/2"	






PRDF60-UN-UM

0

BASIC







60" x 16-1/2" x 14-1/2"







0





HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of \square indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

Fabric Door Overhead Cabinet - Upmount 24" x 16-1/2" x 14-1/2"

- 1 Select Basic Model
- 2 Select Paint Color

Refer to Color Options Metallic paint requires up-charge.

- Select Fabric Color Refer to Color Options
- 4 Select Key Option KA- Key alike KS - Key standard

Information

Steel bottom, top shelf and end panels with powder-coated finish accepts shelf divider.

Door stores recessed with handle exposed.


Single bit lock is included.

Shelf depth is 13-1/4".









Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Paint Color

Refer to <u>Color Options</u> Metallic paint requires up-charge.

- 3 Select Fabric Color Refer to Color Options
- 4 Select Key Option KA- Key alike KS - Key standard

Information

Steel bottom, top shelf and end panels with powder-coated finish accepts shelf divider.


Door stores recessed with handle exposed.

Single bit lock is included.

Shelf depth is 13-1/4".







Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

2 Select Paint Color

Refer to Color Options

Information

Includes 10-1/2" high back

Accepts shelf dividers.

Shelves shipped assembled.





NET PRICE

\$179

\$182

\$148

\$155

\$163

\$171

\$179

\$198

\$179

\$182

\$186


Regular Shelt	f - Or	ı-Modul	e
---------------	--------	---------	---

- On-Module shelves (PM Panel Mount) mount in vertical posts
- · Shelves must be same width as panel mounted for vertical adjustment in 1" increments
- Shelf divider (NSD) available in <u>Accessories Price List</u>

nt into slots	
d to; allows	

30" x 16-1/2" x 13-1/4 URSR30-UN-PM 36" x 16-1/2" x13-1/4" **URSR36-UN-PM** 42" x 16-1/2" x 13-1/4" **URSR42-UN-PM**





- Load Bar mount overheads (LB) hang from externally mounted load bar
- Load Bar available in Accessories Price List
- Shelf divider (NSD) available in Accessories Price List

24" x 16-1/2" x 13-1/4"
30" x 16-1/2" x 13-1/4"
36" x 16-1/2" x 13-1/4"
42" x 16-1/2" x 13-1/4"

WxHxD

24" x 16-1/2" x 13-1/4"

16-1/2" x 13-1/4"	URSR30-UN-LB	
16-1/2" x 13-1/4"	URSR36-UN-LB	
16-1/2" x 13-1/4"	URSR42-UN-LB	

URSR24-UN-LB


BASIC

MODEL

URSR24-UN-PM

48" x 16-1/2" x 13-1/4"

URSR48-UN-LB 60" x 16-1/2" x 13-1/4" URSR60-UN-LB



- On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85"
- On a 56" panel, clearance between the Universal overhead and 29" high worksurface is 26.85"
- Shelf divider (NSD) available in Accessories Price List

24" x 16-1/2" x 13-1/4"
30" x 16-1/2" x 13-1/4"
36" x 16-1/2" x 13-1/4"
42" x 16-1/2" x 13-1/4"
19" v 16-1/2" v 12-1/4"

60" x 16-1/2" x 13-1/4"

URSR24-UN-UM URSR30-UN-UM **URSR36-UN-UM**

URSR42UN-UM URSR48-UN-UM URSR60-UN-UM

\$193 \$202 \$230

0



PAINT

COLOR

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

2 Select Paint Color Refer to Color Options

Information

Includes 10-1/2" high back

Accepts shelf dividers.

Shelves shipped assembled.







		BASIC MODEL	PAINT COLOR	NET PRICE
\longrightarrow	Universal Overhead On-Module Mounting	48-0261-SET	00	\$21
()	Bracket			
	Sold in pairs / black onlyMounts into slots in vertical posts			
	 Allows for vertical adjustments in 1" increments Only necessary to order if changing mounting style 			
4				
٤ • ا				
	Load Bar Brackets	46-2103	00	\$54
<u> </u>	 Load bar mount overheads hang from an externally mounted load bar 			
√. .	Load Bar available in <u>Accessories Price List</u>			
ا ا ا ا	sold in pairs			
	Upmount Brackets	46-1234	00	\$71
	 On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85" 			
	On a 56" panel, clearance between the Universal overhead			
	and 29" high worksurface is 26.85" Sold in pairs			
3				
484				
٩ /				
\smile	-	•	•	
		0	2	

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Paint Color Refer to Color Options









Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- 1 Select Basic Model
- 2 Select Cabinet Paint Color Refer to Color Options
- 3 Select Upper Door Laminate Color Refer to Color Options
- 4 Select Laminate Door Edge Color Refer to Color Options

Information:

Painted cabinet and lower door.
Shelf dividers available separately.
Cabinet is fully assembled.
Door stores above top of cabinet.
Will accept hanging tool rail and tackboards.
(Attachment bar ordered separately)







Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Cabinet Paint Color Refer to Color Options
- 3 Select Upper Door Laminate Color Refer to Color Options
- 4 Select Key Option KA- Key alike KS - Key standard


Information:

Painted cabinet and lower door.
Shelf dividers available separately.
Cabinet is fully assembled.
Door stores above top of cabinet.
Will accept hanging tool rail and tackboards.
(Attachment bar ordered separately)









Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Cabinet Paint Color Refer to Color Options
- Select Key Option KA- Key alike KS - Key standard

Information:

Painted cabinet and lower door.
Shelf dividers available separately.
Cabinet is fully assembled.
Door stores above top of cabinet.
Will accept hanging tool rail and tackboards.
(Attachment bar ordered separately)







	BASIC MODEL	TRIM COLOR	NET PRICE
Venus Overhead On-Module Mounting Bracket Sold in pairs / black only Mounts into slots in vertical posts Only necessary to order if changing mounting style	BOA-UN-PM		\$76
Load Bar Brackets Load bar mount overheads hang from an externally mounted load bar Load Bar available in Accessories Price List sold in pairs	BOA-UN-LB	00	\$110
Upmount Brackets On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85" On a 56" panel, clearance between the Universal overhead and 29" high worksurface is 26.85" Sold in pairs	BOA-UN-UM	00	\$122
	0	0	

HOW TO ORDER


Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

The \Box indicates that a choice is required.

HOW TO BUILD A MODEL NUMBER


- Select Basic Model
- 2 Select Trim Color Refer to Color Options











Overhead Tackboard

- Hangs from bottom of flipper door cabinet or shelf
- When hanging from Venus overhead, specify attachment bar BMB (purchase separately)
- Includes mounting brackets in black only

WxHxD	BASIC MODEL	TRIM COLOR	NET PRICE
24" x 12"	PTBO2412	00	\$90
30" x 12"	PTBO3012		\$99
36" x 12"	PTBO3612		\$109
42" x 12"	PTBO4212		\$112
48" x 12"	PTBO4812		\$114
54" x 12"	PTBO5412		\$130
60" x 12"	PTBO6012		\$135
24" x 16"	PTBO2416	00	\$129
30" x 16"	PTBO3016	00	\$133
36" x 16"	PTBO3616		\$136
42" x 16"	PTBO4216		\$139
48" x 16"	PTBO4816		\$145
54" x 16"	PTBO5416	00	\$151
60" x 16"	PTBO6016		\$158

0

0

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Trim Color

Refer to <u>Color Options</u> Metallic finish not available.







		WxH	BASIC MODEL	TRIM COLOR	NET PRICE
	Tackboard/Tool Rail Attachment Bar	30"	BMB30	00	\$26
	 Attachment bracket that attaches to bottom of overhead to accept overhead tackboard 	36"	BMB36		\$26
		42"	BMB42		\$26
	18-gauge steelBlack only	48"	BMB48		\$31
		54"	BMB54		\$32
		60"	BMB60		\$33
	-				

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- Select Basic Model
- 2 Select Trim Color

Refer to <u>Color Options</u> Metallic finish not available.





0



Sliding	Door	0,40	haad
SHUIHE	וטטע	Over	neau

- Lockable sliding door extends slightly beyond the center of overhead
- Overhead accommodates standard binders

WxHxD	BASIC MODEL	BRACKET	UNIT COLOR	KEY OPTION	NET PRICE
35-3/4" x 14-3/8" x 14-7/16"	VSSDH36	00000		00	\$402
41-3/4" x 14-3/8" x 14-7/16"	VSSDH42	00000		00	\$417
47-3/4" x 14-3/8" x 14-7/16"	VSSDH48	00000		00	\$431
53-3/4" x 14-3/8" x 14-7/16"	VSSDH54	0000			\$442
59-3/4" x 14-3/8" x 14-7/16"	VSSDH60	00000		00	\$450
71-3/4" x 14-3/8" x 14-7/16"	VSSDH72	0000			\$450

0

8

4

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.


The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Bracket Type
 UN Legion mounted
 UN/UM Legion upmount
- **3 Select Unit Color** Refer to Color Options
- 4 Select Key Option KA - Key alike KS - Key standard








Underhead Storage

- Underhead storage units mount below worksurface
- Underhead accommodates standard binders
- Storage units include holes in top and bottom for cord drop in conjunction with grommets
- Includes brackets for attachment; legs may be specified separately if desired
- Lockable sliding door extends slightly beyond the center of storage unit

WxHxD	BASIC MODEL	DIRECTION	UNIT COLOR	KEY OPTION	NET PRICE
35-3/4" x 14-3/8" x 14-7/16"	VHS36		00	00	\$385
41-3/4" x 14-3/8" x 14-7/16"	VHS42				\$399
47-3/4" x 14-3/8" x 14-7/16"	VHS48		00	00	\$414
53-3/4" x 14-3/8" x 14-7/16"	VHS54				\$449
59-3/4" x 14-3/8" x 14-7/16"	VHS60		00	00	\$481
71-3/4" x 14-3/8" x 14-7/16"	VHS72				\$463



Underhead Storage Support Leg

- May be used in place of return
- · Size noted does not reflect attachment brackets

1-1/2" x 13-7/8" x 13-5/16"	VHSL				\$91
			•		
	•	2	8	U	

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \square indicates that a choice is required.

The absence of □ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Placement of Leg
 - L Left
 - R Right
- 3 Select Unit Color Refer to Color Options
- 4 Select Key Option KA Key alike

 - KS Key standard







Δco	uctic	Septu	ım Kit
ALU	usuc	JEDIL	12.11

- 2" thick fiberglass sheet is field installed inside frame
- When used with Unite® tiles, kit provides .70NRC / .70SAA per ASTM C423-09a
- · Acoustic septum kit may be specified with any Unite®
- Specify by panel size (72" panels include 2-36" kits)
- Septums may be field-trimmed to allow clearance for beltway power

WxH	BASIC MODEL			NET PRICE
24" x 32"	UNRC-2432			\$34
30" x 32"	UNRC-3032			\$41
36" x 32"	UNRC-3632			\$59
42" x 32"	UNRC-4232			\$68
48" x 32"	UNRC-4832			\$79
60" x 32"	UNRC-6032			\$81
72" x 32"	UNRC-7232			\$116
24" x 40"	UNRC-2440			\$59
30" x 40"	UNRC-3040			\$60
36" x 40"	UNRC-3640			\$110
42" x 40"	UNRC-4240			\$113
48" x 40"	UNRC-4840			\$114
60" x 40"	UNRC-6040			\$116
72" x 40"	UNRC-7240			\$220
24" x 48"	UNRC-2448			\$60
30" x 48"	UNRC-3048			\$68
36" x 48"	UNRC-3648			\$113
42" x 48"	UNRC-4248			\$128
48" x 48"	UNRC-4848			\$132
60" x 48"	UNRC-6048			\$133
72" x 48"	UNRC-7248			\$224

Continued on next page



HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \Box indicates that a choice is required.


The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER









Δco	uctic	Septu	ım Kit
ALU	usuc	JEDIL	12.11

- 2" thick fiberglass sheet is field installed inside frame
- When used with Unite® tiles, kit provides .70NRC / .70SAA per ASTM C423-09a
- · Acoustic septum kit may be specified with any Unite®
- Specify by panel size (72" panels include 2-36" kits)
- Septums may be field-trimmed to allow clearance for beltway power

WxH	BASIC MODEL			NET PRICE
24" x 56"	UNRC-2456			\$68
30" x 56"	UNRC-3056			\$85
36" x 56"	UNRC-3656			\$116
42" x 56"	UNRC-4256			\$132
48" x 56"	UNRC-4856			\$167
60" x 56"	UNRC-6056			\$168
72" x 56"	UNRC-7256			\$227
24" x 64"	UNRC-2464			\$69
30" x 64"	UNRC-3064			\$98
36" x 64"	UNRC-3664			\$119
42" x 64"	UNRC-4264			\$133
48" x 64"	UNRC-4864			\$170
60" x 64"	UNRC-6064			\$192
72" x 64"	UNRC-7264			\$228

Continued on next page



HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \Box indicates that a choice is required.


The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER









	i	D:-		i	C		
GI	ass	υiv	ИO	er	SCr	een	

- Unframed glass divider drops into panel top
- Divider base takes place of top cap
- May span multiple panels
- May not be used over segmented glass or segmented perforated steel panels
- May not be used over stacking sections or adjacent to trim UEORVGlass features polished edge

WxH	BASIC MODEL	GLASS BRACKET TYPE	TRIM COLOR	NET PRICE CLEAR	WHITE LAMINATE GLASS	NET PRICE SATIN ETCH
24" x 12"	UNGDS24	000	00	\$160	\$174	\$189
30" x 12"	UNGDS30			\$163	\$179	\$193
36" x 12"	UNGDS36	000	00	\$176	\$193	\$201
42" x 12"	UNGDS42			\$190	\$208	\$230
48" x 12"	UNGDS48	000	00	\$195	\$223	\$240
54" x 12"	UNGDS54			\$198	\$231	\$244
60" x 12"	UNGDS60	000	00	\$252	\$252	\$265
66" x 12"	UNGDS66			\$234	\$278	\$287
72" x 12"	UNGDS72	000	00	\$263	\$300	\$325

0





HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Bracket Type
 - GLA Clear (Std)
 - **GLC** White Laminate Glass
 - **GLV** Satin etch one side
- 3 Select Trim Color


Refer to Color Options

Metallic finish not available.









ı	-ra	me	ووماد	Mο	destv	Panel

- Metal attachment to worksurface underside resin panel
 Disposion listed refers to the worksurface width actual
- Dimension listed refers to the worksurface width; actual width is approximately 6" undersized

WxH	BASIC MODEL	RESIN FINISH	ATTACHMENT FINISH	NET PRICE
24" x 10"	UMODA24	000		\$103
30" x 10"	UMODA30			\$132
36" x 10"	UMODA36	000		\$147
42" x 10"	UMODA42			\$161
48" x 10"	UMODA48	000		\$205
54" x 10"	UMODA54			\$220
60" x 10"	UMODA60	000		\$263
66" x 10"	UMODA66			\$293
72" x 10"	UMODA72	000		\$322

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Resin Finish
 Refer to Color Options
- 3 Select Attachment Finish Refer to Color Options





0

0

8



		BASIC MODEL	TRIM COLOR			NET PRICE
	Continuous Top Cap • Used in place of standard top cap for uninterrupted spans	48-0717-48				\$30
	 Used in place of standard top cap for uninterrupted spans between intersections 	48-0717-54				\$34
	To specify, add together nominal panel widths Maximum span is 6 feet	48-0717-60				\$38
	• Maximum span is 6 feet	48-0717-66				\$49
		48-0717-72				\$53
	Carpet Gripper	UNCG10				\$3
	Grippers snap into leveling glides to prevent panels from shifting on carpet					
	Glide rotation is unaffected Black finish only					
	Package of 10					
	Aluminum Grommet	48-0399-NLG				\$4
	Molded grommet is specified in all powdercoat colors	46-0333-NEG				γ τ
		•	2			

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The $\hfill\Box$ indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- Select Basic Model
- 2 Select Trim Color

Refer to <u>Color Options</u> Metallic finish not available.









Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required














1. Quantity of each item.

2. Model Number, including options. (See "How to Build a Model Number.")

3. Any special service required.

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required


Indicate the following information on the order form:

HOW TO BUILD A MODEL NUMBER









Tackboard

- Tackboards are constructed of 3/4" tackable core and covered with fabric
- Includes black mounting brackets
- Not available with countertops

FEATURES	WxH	BASIC MODEL			NET PRICE
On-Module	24" x 12"	LGTB2412-PM			\$68
On-Module	30" x 12"	LGTB3012-PM			\$72
On-Module	36" x 12"	LGTB3612-PM			\$74
On-Module	42" x 12"	LGTB4212-PM			\$78
On-Module	48" x 12"	LGTB4812-PM			\$79
On-Module	60" x 12"	LGTB6012-PM			\$90
On-Module	24" x 16"	LGTB2416-PM			\$73
On-Module	30" x 16"	LGTB3016-PM			\$75
On-Module	36" x 16"	LGTB3616-PM			\$78
On-Module	42" x 16"	LGTB4216-PM			\$79
On-Module	48" x 16"	LGTB4816-PM			\$84
On-Module	60" x 16"	LGTB6016-PM			\$93
On-Module	24" x 20"	LGTB2420-PM			\$97
On-Module	30" x 20"	LGTB3020-PM			\$100
On-Module	36" x 20"	LGTB3620-PM			\$101
On-Module	42" x 20"	LGTB4220-PM			\$106
On-Module	48" x 20"	LGTB4820-PM			\$107
On-Module	60" x 20"	LGTB6020-PM			\$132



HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.


The $\hfill\Box$ indicates that a choice is required.

The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER







	Tac	kI	bo	a	rd	ı
--	-----	----	----	---	----	---

- Tackboards are constructed of 3/4" tackable core and covered with fabric
- Includes black mounting brackets
- Not available with countertops

FEATURES	WxH	BASIC MODEL			NET PRICE
On-Module	24" x 30"	LGTB2430-PM			\$98
On-Module	30" x 30"	LGTB3030-PM			\$115
On-Module	36" x 30"	LGTB3630-PM			\$117
On-Module	42" x 30"	LGTB4230-PM			\$120
On-Module	48" x 30"	LGTB4830-PM			\$121
On-Module	60" x 30"	LGTB6030-PM			\$137
On-Module	24" x 48"	LGTB2448-PM			\$123
On-Module	30" x 48"	LGTB3048-PM			\$134
On-Module	36" x 48"	LGTB3648-PM			\$148
On-Module	42" x 48"	LGTB4248-PM			\$151
On-Module	48" x 48"	LGTB4848-PM			\$153



HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of □ indicates that no choice is required

Industries •

HOW TO BUILD A MODEL NUMBER








NET PRICE

\$15



48-0262-MB-KIT	BL			\$25
n	2			
9	•			

HOW TO ORDER

Indicate the following information on the order form:

- 1. Quantity of each item.
- 2. Model Number, including options. (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Trim Color BL - Black only

Metallic finish not available.





BASIC

MODEL

48-0262-TB-KIT

TRIM

COLOR

BL



	H x W	BASIC MODEL	TRIM COLOR	LIST PRICE
On-Module Tool Rail	24" x 4-1/2"	UPMTR24	00	\$50
 Accommodates paper management components Attaches to panels "on" module 	30" x 4-1/2"	UPMTR30		\$53
Field installable	36" x 4-1/2"	UPMTR36		\$56
Painted aluminum construction Consists of four slots to accept components	42" x 4-1/2"	UPMTR42		\$62
Tool Rail accessories available in <u>Accessories Price List</u>	48" x 4-1/2"	UPMTR48		\$66
	50" x 4-1/2"	UPMTR54		\$80
	60" x 4-1/2"	UPMTR60		\$93
	72" x 4-1/2"	UPMTR72		\$98
		0	•	

Indicate the following information on the order form:

- 1. Quantity of each item.
- Model Number, including options.
 (See "How to Build a Model Number.")
- 3. Any special service required.

Note:

The \Box indicates that a choice is required.

The absence of $\hfill\Box$ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model
- 2 Select Trim Color Refer to Color Options

Metallic finish not available.





State of Wisconsin Bureau of Correctional Enterprises

Business Office and Showroom 3099 East Washington Avenue Madison, WI 53704

608.240.5200

shopbce.com

BCE Product Development Center

Design. Support. Promote.

