

# Technical Specifications

## Vini® Storage



Vini is an active and accessible storage collection designed to augment systems' configurations and provide more relevant and cost-effective workstations.

The Vini collection includes freestanding, mobile and worksurface-supporting pedestals, double pedestals, credenzas, wardrobe cabinet units, side-access bookshelf wardrobe units, overheads and related accessories. Nominal and actual dimensions are listed with each item to the nearest 1/16".

### Construction and Standard Features

All Vini storage units are constructed of steel. Box and file drawers feature smooth riding ball-bearing slides. Units feature ADA-compliant nickel-plated loop pulls. Where appropriate, leveling glides allow for adjustability of approximately 1".

### Vini Locks

Vini storage comes standard with master keyable, M-Series lock cores and can be specified as randomly keyed, without lock core, or keyed alike and are compatible with other key-alike storage lines. Wardrobes contain multiple locks but will be keyed alike for each entire unit. Locks are black chromate finished.

### Vini Paint

Units are cleaned thoroughly and subjected to a phosphate etching process before painting with a hybrid epoxy powder paint.

### Pedestals

Worksurface-supporting pedestals are used to support worksurfaces in panel-wrapped applications. Cantilevers or other supports are not required at the end of a worksurface supported by a pedestal, but finishing brackets must be specified to fill the space between the back of the pedestal and a panel if used as panel replacement. Freestanding pedestals feature four non-adjustable glides.

Pedestals are shipped for front-to-back, letter-sized filing. Optional pencil tray, file and box drawer dividers are available.

### 20"/24" Pedestal Construction

Outer shell: 20-gauge top with 16-gauge bottom reinforcement

Drawer front: 22-gauge steel

File divider: 22-gauge steel

### 20" Pedestal Internal Drawer Dimensions

#### File Drawer:

Internal height: 11"

Internal width: 12-1/8"

Internal depth: 16-1/4"

#### Box Drawer:

Internal height: 5-1/8"

Internal width: 12-1/8"

Internal depth: 16-1/4"

**24" Pedestal Internal Drawer Dimensions**File Drawer:

Internal height: 11"

Internal width: 12"

Box Drawer:

Internal height: 5-1/8"

Internal width: 12"

**Credenzas**

Each freestanding credenza features a single sliding door with lock that spans approximately half of the width of the credenza. Bottom shelf is sufficiently sized to hold binders. Top shelf is non-adjustable. Bottom of unit features adjustable glides with approximately 1" of adjustment.

**Credenza Construction**

Outer wrapper: 20-gauge steel

Middle shelf: 20-gauge material

Bottom: 20-gauge steel

Partition: 20-gauge steel

Top: 20-gauge steel

Top reinforcement: 18-gauge steel

Sliding door: 20-gauge steel

**Credenza Clearance Dimensions**

Unit depth: 15"

Unit height: 27-3/4"

Internal width (upper section): 36", 34", 42", 40"

Internal width (lower section): 36", 16 1/2", 42", 19 1/2"

Internal depth: 14"

Internal height (upper section): 6"

Internal height (lower section): 15-1/8"

**Wardrobe Towers**

Wardrobe towers are stand-alone storage units. Wardrobe/cabinet units feature a pedestal in file/file or box/box/file configuration, a full vertical height wardrobe with coat hook and a front-facing storage cabinet with an adjustable shelf. Wardrobe/side-access bookshelf units feature a pedestal in file/file or box/box/file configuration, a full vertical height wardrobe with coat hook and an open bookcase with one adjustable shelf. Pedestal aesthetic matches wardrobe pedestal. The handedness of a wardrobe tower is determined by the location of the wardrobe unit. A right unit features the wardrobe on the right side of the unit.

**Wardrobe Tower Construction**

Outer shell: 20-gauge steel

Upright members: 20-gauge steel

Door fronts: 20-gauge steel

Drawer front: 22-gauge steel

Shelves: 20-gauge steel Tower cap: 20-gauge steel

Tower base: 20-gauge steel

Base reinforcements: 18-gauge steel

Vertical supports: 20-gauge steel

### **Internal Dimensions**

#### File Drawer:

Internal height: 11"

Internal width: 12"

#### Box Drawer:

Internal height: 5-1/8"

Internal width: 12"

#### Wardrobe:

Internal height: 64": 58-13/16"; 48": 42-13/16"

Internal width: 7-3/8"

#### Bookshelf:

Internal width: 20-7/16"

Internal depth: 14-15/16"

Shelf thickness: 3/4"

Shelf range of adjustment: 8-1/4" on 1-3/8" centers

#### Cabinet:

Internal height: 64": 34"; 48": 18"

Internal width: 13-7/8"

Internal depth: 21"

Shelf thickness: 3/4"

Shelf range of adjustment: 8-1/4" on 1-3/8" centers

### **Sliding Door Overheads**

Each overhead features a single sliding door with lock. Door spans approximately half of the width of the unit.

Slide mechanism uses four wheeled rollers. Overhead is sufficiently sized to hold binders.

### **Overhead Construction**

Vertical supports: 16-gauge steel

Horizontal supports: 18-gauge steel

Sliding door: 18-gauge steel

### **Overhead External Dimensions**

External width: nominal dimension less 1/4"

External depth: 14-3/8" (15-1/2" with handle) E

External height: 14-7/16"

Door height: 14-3/8"

### **Overhead Clearance Dimensions**

Internal width: nominal dimension less 1/2" (1/4" per side)

Internal depth: 12-1/2"

Internal height: 12-1/2"